


MaxPab®

EIF3S8 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00008663-B01P


Size 50 ug

Applications




Western Blot (Cell lysate)

EIF3C MaxPab polyclonal antibody. Western Blot analysis of EIF3C expression in Raw 264.7.



Western Blot (Cell lysate)

EIF3C MaxPab polyclonal antibody. Western Blot analysis of EIF3C expression in U-2 OS.



Western Blot (Transfected lysate)

Western Blot analysis of EIF3C expression in transfected 293T cell line ([H00008663-T01](#)) by EIF3C MaxPab polyclonal antibody.

Lane 1: EIF3S8 transfected lysate(100.43 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Mouse polyclonal antibody raised against a full-length human EIF3S8 protein.

Immunogen	EIF3S8 (NP_003743.1, 1 a.a. ~ 913 a.a) full-length human protein.
Sequence	MSRFFTTGSDSESESSLSGEELVTKPVGGNYGKQPLLLSEDEEDTKRVVRS AKDKRFEELTNLIR TIRNAMKIRDVTCKLEEFELLGKAYGKAKSVDKEGVPRFYIRILADLEDYLNELWEDKEGKKKMNK NNAKALSTLRQKIRKYNRDFESHITSYQNPEQSADEDAEKNEEDSEGSSDEDEDEDGVSAATF LKKKSEAPSGESRKFLKKMDDEDEDESEDEDEDWDTGSTSSDSDSEEEEGKQTALASRFLK KAPTTDEDKKA AEKKREDKAKKKHDRKSKRLDEEEEDNEGGEWVRVGGVPLVKEKPKMFAK GTEITHAVVIKKLNEILQARGKKGTDRAAQIELLQLLVQIAAENNLGEGVVKIKFNIIASLYDYNPNLAT YMKPEMWGKCLDCINELMDILFANPNIFVGENILEESENLHNADQPLRVGCILTLVERMDEEFTKI MQNTDPHSQEYVEHLKDEAQVCAI IERVQRYLEEKGTTEEVCRIYLLRILHTYKFDYKAHQRLTP PEGSSKSEQDQAENEGEDSAVLMERLCKYYAKDRDTRITCAILCHYHHALHSRWYQARDLML MSHLQDNIQHADPPVQILYNRTMVQLGICAFRQGLTKDAHNALLDIQSSGRAKELLGQGLLLRSLQ ERNQEKEKVERRRQVPFHLHINLELLECVYLVSAMLLEIPYMAAHESDARRRMISKQFHHQLRVG ERQPLLGPPESMREHVVAASKAMKMGDWKTCHSFINEKMNGKVWDLFPEADKVRTMLVRKIQ EESLRTYLFYSSVYDSISMETLSDMFELDLPTVHSISKMIINEELMASLDQPTQTVVMHRTEPTAQ QNLALQLAEKLGSLVENNERVFDHKQGTGGYFRDQKGYRKNEGYMRRGGYRQQQSQTAY
Host	Mouse
Reactivity	Human, Mouse
Interspecies Antigen Sequence	Mouse (97); Rat (96)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

EIF3C MaxPab polyclonal antibody. Western Blot analysis of EIF3C expression in Raw 264.7.

[Protocol Download](#)

- Western Blot (Cell lysate)

EIF3C MaxPab polyclonal antibody. Western Blot analysis of EIF3C expression in U-2 OS.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of EIF3C expression in transfected 293T cell line ([H00008663-T01](#)) by EIF3C MaxPab polyclonal antibody.

Lane 1: EIF3S8 transfected lysate(100.43 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — EIF3C

Entrez GeneID	8663
---------------	----------------------

GeneBank Accession#	NM_003752.3
---------------------	-----------------------------

Protein Accession#	NP_003743.1
--------------------	-----------------------------

Gene Name	EIF3C
-----------	-------

Gene Alias	EIF3S8, FLJ78287, MGC189744, eIF3-p110
------------	--

Gene Description	eukaryotic translation initiation factor 3, subunit C
------------------	---

Omim ID	603916
---------	------------------------

Gene Ontology	Hyperlink
---------------	---------------------------

Gene Summary	O
--------------	---

Other Designations	cell migration-inducing protein 17 eukaryotic translation initiation factor 3, subunit 8 (110kD) eukaryotic translation initiation factor 3, subunit 8, 110kDa
--------------------	--