


#### MaxPab®

# SAP30 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00008819-D01P

Size 100 ug

## Applications



### Western Blot (Transfected lysate)

Western Blot analysis of SAP30 expression in transfected 293T cell line (<u>H00008819-T03</u>) by SAP30 MaxPab polyclonal antibody.

Lane 1: SAP30 transfected lysate(23.30 KDa). Lane 2: Non-transfected lysate.

Specification	
Product Description	Rabbit polyclonal antibody raised against a full-length human SAP30 protein.
Immunogen	SAP30 (NP_003855.1, 1 a.a. ~ 220 a.a) full-length human protein.
Sequence	MNGFTPDEMSRGGDAAAAVAAVVAAAAAAASAGNGTGAGTGAEVPGAGAVSAAGPPGAAGP GPGQLCCLREDGERCGRAAGNASFSKRIQKSISQKKVKIELDKSARHLYICDYHKNLIQSVRNRRK RKGSDDDGGDSPVQDIDTPEVDLYQLQVNTLRRYKRHFKLPTRPGLNKAQLVEIVGCHFRSIPVN EKDTLTYFIYSVKNDKNKSDLKVDSGVH
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (95)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Copyright © 2023 Abnova Corporation. All Rights Reserved.



## Applications

### Western Blot (Transfected lysate)

Western Blot analysis of SAP30 expression in transfected 293T cell line (H00008819-T03) by SAP30 MaxPab polyclonal antibody.

Lane 1: SAP30 transfected lysate(23.30 KDa). Lane 2: Non-transfected lysate.

Protocol Download

Gene Info — SAP30	
Entrez GenelD	<u>8819</u>
GeneBank Accession#	<u>NM_003864.3</u>
Protein Accession#	<u>NP_003855.1</u>
Gene Name	SAP30
Gene Alias	-
Gene Description	Sin3A-associated protein, 30kDa
Omim ID	<u>603378</u>
Gene Ontology	Hyperlink
Gene Summary	Histone acetylation plays a key role in the regulation of eukaryotic gene expression. Histone acety lation and deacetylation are catalyzed by multisubunit complexes. The protein encoded by this ge ne is a component of the histone deacetylase complex, which includes SIN3, SAP18, HDAC1, H DAC2, RbAp46, RbAp48, and other polypeptides. This complex is active in deacetylating core hi stone octamers, but inactive in deacetylating nucleosomal histones. A pseudogene of this gene is located on chromosome 3. [provided by RefSeq
Other Designations	Sin3 corepressor complex subunit SAP30 Sin3-associated polypeptide, 30kDa histone deacetyl ase complex subunit SAP30