


MaxPab®

CFLAR purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00008837-D01P

Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of CFLAR expression in transfected 293T cell line ([H00008837-T03](#)) by CFLAR MaxPab polyclonal antibody.

Lane 1: CFLAR transfected lysate(55.30 KDa).

Lane 2: Non-transfected lysate.



In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between CFLAR and CASP10. HeLa cells were stained with anti-CFLAR rabbit purified polyclonal 1:1200 and anti-CASP10 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human CFLAR protein.

Immunogen

CFLAR (AAH01602.1, 1 a.a. ~ 480 a.a) full-length human protein.

Sequence

MSAEVIHQVEEALDTDEKEMLLFLCRDVAIDVPPNVRDLLDILRERGKLSVGDLAELLYRVRFD
LLKRILKMDRKAVETHLLRNPHLVSDYRVLMAEIGEDLDKSDVSSLIFLMKDYMGGRGKISKEKSFL
DLVVELEKLNLVAPDQLDLEKCLKNHRIDLKTKIQKYKQSVQGAGTSYRNVLQAAIQSKLDPSN
NFR LHNGRSKEQRLKEQLGAQQEPVKKSIQSEAFLPQSIPEERYKMKSKPLGICLIIDCIGNETEL
LRDTFTSLGYEVQKFLHLSMHGISQILGQFACMPEHRDYDSFVCVLVSRGGSQSVYGVDDQTHSGL
PLHHIRRMFMGDSCPYLAGPKMFFIQNYVSEGGLEDSSLLVEDGPAMKNVEFKAQKRGLCTV
HREADFFWSLCTADMSLLEQSHSSPSLYLQCLSQKLQRERKRPLDLHIELNGMYDWNRSVSA
KEKYVWLQHTLRKKLILSYT

Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (67); Rat (68)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of CFLAR expression in transfected 293T cell line ([H00008837-T03](#)) by CFLAR MaxPab polyclonal antibody.

Lane 1: CFLAR transfected lysate(55.30 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- In situ* Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between CFLAR and CASP10. HeLa cells were stained with anti-CFLAR rabbit purified polyclonal 1:1200 and anti-CASP10 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Gene Info — CFLAR

Entrez GeneID	8837
GeneBank Accession#	BC001602
Protein Accession#	AAH01602.1
Gene Name	CFLAR
Gene Alias	CASH, CASP8AP1, CLARP, Casper, FLAME, FLAME-1, FLAME1, FLIP, I-FLICE, MRIT, c-FLIP, c-FLIPL, c-FLIPR, c-FLIPS
Gene Description	CASP8 and FADD-like apoptosis regulator
Omim ID	603599

Gene Ontology

[Hyperlink](#)

Other Designations

FADD-like anti-apoptotic molecule|caspase-related inducer of apoptosis|inhibitor of FLICE|usurpin beta

Pathway

- [Apoptosis](#)

Disease

- [Adenocarcinoma](#)
- [Asthma](#)
- [Bronchial Hyperreactivity](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Hematologic Diseases](#)
- [Hodgkin Disease](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Multiple Myeloma](#)
- [Multiple Sclerosis](#)
- [Neoplasms](#)
- [Occupational Diseases](#)
- [Ovarian Neoplasms](#)

- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)