


STK17B monoclonal antibody (M01), clone 2C3

Catalog # H00009262-M01


Size 100 ug

Applications




Western Blot (Cell lysate)

STK17B monoclonal antibody (M01), clone 2C3 Western Blot analysis of STK17B expression in Jurkat (Cat # L017V1).




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to STK17B on formalin-fixed paraffin-embedded human colon. [antibody concentration 3 ug/ml]




Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged STK17B is approximately 0.3ng/ml as a capture antibody.



Immunofluorescence

Immunofluorescence of monoclonal antibody to STK17B on HeLa cell.
[antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (36.74 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant STK17B.
Immunogen	STK17B (AAH16040, 272 a.a. ~ 372 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	SLLVKNPEKRPTAEICLSHSLQWDFENLFHPEETSSSSQTQDHSVRSSDKTSKSSCNGTC GDREDKENIPEDSSMVSKRFRFDDSLPNPHELVSDLLC
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (91); Rat (91)
Isotype	IgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

STK17B monoclonal antibody (M01), clone 2C3 Western Blot analysis of STK17B expression in Jurkat (Cat # L017V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to STK17B on formalin-fixed paraffin-embedded human colon. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged STK17B is approximately 0.3ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

- Immunofluorescence

Immunofluorescence of monoclonal antibody to STK17B on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — STK17B

Entrez GeneID	9262
---------------	----------------------

GeneBank Accession#	BC016040
---------------------	--------------------------

Protein Accession#	AAH16040
--------------------	--------------------------

Gene Name	STK17B
-----------	--------

Gene Alias	DRAK2
------------	-------

Gene Description	serine/threonine kinase 17b
------------------	-----------------------------

Omim ID	604727
---------	------------------------

Gene Ontology[Hyperlink](#)**Other Designations**

death-associated protein kinase-related 2[serine/threonine kinase 17b (apoptosis-inducing)]

Disease

- [Genetic Predisposition to Disease](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)