


BCL7C monoclonal antibody (M02), clone 1A4

Catalog # H00009274-M02


Size 100 ug

Applications



Immunofluorescence

Immunofluorescence of monoclonal antibody to BCL7C on HeLa cell . [antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (34.43 KDa) .

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant BCL7C.

Immunogen

BCL7C (NP_004756, 86 a.a. ~ 164 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Sequence

PLILLDLNDENSNQSFHSEGLQKGTEPSPGGTPQPSRPVSPAGPPEGVPPEEAQPPRLGQERD
PGGITAGSTDEPPMLT

Host

Mouse

Reactivity

Human

Interspecies Antigen Sequence	Mouse (93); Rat (94)
Isotype	IgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (34.43 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to BCL7C on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — BCL7C

Entrez GeneID	9274
GeneBank Accession#	NM_004765
Protein Accession#	NP_004756
Gene Name	BCL7C
Gene Alias	-
Gene Description	B-cell CLL/lymphoma 7C
Omim ID	605847
Gene Ontology	Hyperlink
Gene Summary	This gene is identified by the similarity of its product to the N-terminal region of BCL7A protein. The BCL7A protein is encoded by the gene known to be directly involved in a three-way gene translocation in a Burkitt lymphoma cell line. The function of this gene has not yet been determined. [provided by RefSeq]

Other Designations

-

Disease

- [Genetic Predisposition to Disease](#)
- [Hematologic Diseases](#)
- [Hodgkin Disease](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Occupational Diseases](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)