


GTF3C5 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00009328-T01


Size 100 uL

Applications



SDS-PAGE Gel

GTF3C5 transfected lysate.



Western Blot

Lane 1: GTF3C5 transfected lysate (57.2 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-GTF3C5 full-length
Host	Human
Theoretical MW (kDa)	57.2
Interspecies Antigen Sequence	Mouse (84); Rat (83)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-GTF3C5 antibody ([H00009328-B01](#)) by Western Blots.
SDS-PAGE Gel
GTF3C5 transfected lysate.
Western Blot
Lane 1: GTF3C5 transfected lysate (57.2 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — GTF3C5

Entrez GeneID[9328](#)**GeneBank Accession#**[BC017337.2](#)**Protein Accession#**[-](#)**Gene Name**

GTF3C5

Gene Alias

FLJ20857, TFIIIC63, TFIIICepsilon, TFIIIC2-63

Gene Description

general transcription factor IIIC, polypeptide 5, 63kDa

Omim ID[604890](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

polypeptide 5

Other Designations

general transcription factor IIIC, polypeptide 5|general transcription factor IIIC, polypeptide 5 (63kD)|transcription factor IIIC, 63 kD

Disease

- [Cardiovascular Diseases](#)

- [Diabetes Mellitus](#)
- [Edema](#)