


GTF3C3 monoclonal antibody (M02), clone 3D9

Catalog # H00009330-M02


Size 100 ug

Applications



Western Blot (Cell lysate)

GTF3C3 monoclonal antibody (M02), clone 3D9 Western Blot analysis of GTF3C3 expression in HeLa S3 NE (Cat # L013V3).




Western Blot (Transfected lysate)

Western Blot analysis of GTF3C3 expression in transfected 293T cell line by GTF3C3 monoclonal antibody (M02), clone 3D9.


Lane 1: GTF3C3 transfected lysate(101.3 kDa).

Lane 2: Non-transfected lysate.



RNAi Knockdown (Antibody validated)

Western blot analysis of GTF3C3 over-expressed 293 cell line, cotransfected with GTF3C3 Validated Chimera RNAi (Cat # H00009330-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with GTF3C3 monoclonal antibody (M02), clone 3D9 (Cat # H00009330-M02). GAPDH (36.1 kDa) used as specificity and loading control.



Western Blot detection against Immunogen (37.07 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant GTF3C3.
Immunogen	GTF3C3 (NP_036218, 112 a.a. ~ 214 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	TPEQPTAGDVFVLEMVLNRETKKMMKEKRPRSKLPRLRGLMGGEANIRFARGEREEAILMCMEII RQAPLAYEPFSTLAMIEDQGDMEKSLQFELIAAHLNP
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (93); Rat (93)
Isotype	IgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.07 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

GTF3C3 monoclonal antibody (M02), clone 3D9 Western Blot analysis of GTF3C3 expression in Hela S3 NE (Cat # L013V3).

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of GTF3C3 expression in transfected 293T cell line by GTF3C3 monoclonal antibody (M02), clone 3D9.

Lane 1: GTF3C3 transfected lysate(101.3 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

- RNAi Knockdown (Antibody validated)

Western blot analysis of GTF3C3 over-expressed 293 cell line, cotransfected with GTF3C3 Validated Chimera RNAi (Cat # H00009330-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with GTF3C3 monoclonal antibody (M02), clone 3D9 (Cat # H00009330-M02). GAPDH (36.1 kDa) used as specificity and loading control.

[Protocol Download](#)

Gene Info — GTF3C3

Entrez GeneID [9330](#)

GeneBank Accession# [NM_012086](#)

Protein Accession# [NP_036218](#)

Gene Name GTF3C3

Gene Alias TFIIIC102, TFIIICgamma, TFIIIC2-102

Gene Description general transcription factor IIIC, polypeptide 3, 102kDa

Omim ID [604888](#)

Gene Ontology [Hyperlink](#)

Gene Summary polypeptide 3

Other Designations general transcription factor IIIC, polypeptide 3 (102kD)|transcription factor IIIC, 102 kD