


PPIG 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00009360-T01


Size 100 uL

Applications



SDS-PAGE Gel

PPIG transfected lysate.



Western Blot

Lane 1: PPIG transfected lysate (39.38 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-PPIG full-length
Host	Human
Theoretical MW (kDa)	39.38
Interspecies Antigen Sequence	Mouse (97); Rat (96)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-PPIG antibody ([H00009360-B01](#)) by Western Blots.
SDS-PAGE Gel
PPIG transfected lysate.
Western Blot
Lane 1: PPIG transfected lysate (39.38 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — PPIG

Entrez GeneID[9360](#)**GeneBank Accession#**[BC001555.1](#)**Protein Accession#**[AAH01555.1](#)**Gene Name**

PPIG

Gene Alias

CARS-Cyp, CYP, MGC133241, SRCyp

Gene Description

peptidylprolyl isomerase G (cyclophilin G)

Omim ID[606093](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

Clk-associating RS-cyclophilin|peptidyl-prolyl isomerase G (cyclophilin G)|peptidylprolyl isomerase G

Disease

- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)

- [NARP](#)