


RAB28 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00009364-T02


Size 100 uL

Applications



SDS-PAGE Gel

RAB28 transfected lysate.



Western Blot

Lane 1: RAB28 transfected lysate (24.8 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-RAB28 full-length
Host	Human
Theoretical MW (kDa)	24.8
Interspecies Antigen Sequence	Mouse (95); Rat (96)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-RAB28 antibody ([H00009364-B02](#)) by Western Blots.
SDS-PAGE Gel
RAB28 transfected lysate.
Western Blot
Lane 1: RAB28 transfected lysate (24.8 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — RAB28

Entrez GeneID

[9364](#)

GeneBank Accession#

[NM_001017979.1](#)

Protein Accession#

-

Gene Name

RAB28

Gene Alias

MGC41862

Gene Description

RAB28, member RAS oncogene family

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes a member of the Rab subfamily of Ras-related small GTPases. The encoded protein may be involved in regulating intracellular trafficking. Alternative splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 9 and X. [provided by RefSeq]

Other Designations

-

Disease

- [Disease Progression](#)

- [Disease Susceptibility](#)
- [HIV Infections](#)
- [Tobacco Use Disorder](#)