


RECQL4 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00009401-T03


Size 100 uL

Applications



SDS-PAGE Gel

RECQL4 transfected lysate.



Western Blot

Lane 1: RECQL4 transfected lysate (73.00 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-RECQL4 full-length
Host	Human
Theoretical MW (kDa)	73
Interspecies Antigen Sequence	Mouse (72); Rat (73)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-RECQL4 antibody ([H00009401-B01](#)) by Western Blots.
SDS-PAGE Gel
RECQL4 transfected lysate.
Western Blot
Lane 1: RECQL4 transfected lysate (73.00 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — RECQL4

Entrez GeneID[9401](#)**GeneBank Accession#**[BC013277.2](#)**Protein Accession#**[AAH13277.2](#)**Gene Name**

RECQL4

Gene Alias

RECQ4

Gene Description

RecQ protein-like 4

Omim ID[218600](#) [266280](#) [268400](#) [603780](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

RecQ protein 4

Disease

- [Breast cancer](#)
- [DNA Damage](#)
- [Genetic Predisposition to Disease](#)

- [Head and Neck Neoplasms](#)
- [Limb Deformities](#)
- [Lung Neoplasms](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)