


NCR1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00009437-T02


Size 100 uL

Applications



SDS-PAGE Gel

NCR1 transfected lysate.



Western Blot

Lane 1: NCR1 transfected lysate (34.5 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-NCR1 full-length

Host Human

Theoretical MW (kDa) 34.5

Quality Control Testing Transient overexpression cell lysate was tested with Anti-NCR1 antibody ([H00009437-B02](#)) by Western Blots.
 SDS-PAGE Gel
 NCR1 transfected lysate.
 Western Blot
 Lane 1: NCR1 transfected lysate (34.5 KDa)
 Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — NCR1

Entrez GeneID[9437](#)**GeneBank Accession#**[NM_004829.4](#)**Protein Accession#**[NP_004820.1](#)**Gene Name**

NCR1

Gene Alias

CD335, LY94, NK-p46, NKP46

Gene Description

natural cytotoxicity triggering receptor 1

Omim ID[604530](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

lymphocyte antigen 94 homolog (activating NK-receptor; NK-p46)

Pathway

- [Natural killer cell mediated cytotoxicity](#)