


# ZNF254 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00009534-T01


Size 100 uL

## Applications



### SDS-PAGE Gel

transfected lysate.



### Western Blot

Lane 1: transfected lysate ( 77.10 KDa)

Lane 2: Non-transfected lysate.

## Specification

### Product Description

Transfected Cell Line	293T
Plasmid	pCMV-ZNF539 full-length
Host	Human
Theoretical MW (kDa)	77.1

**Quality Control Testing**

Transient overexpression cell lysate was tested with Anti-ZNF539 antibody ([H00009534-B01](#)) by Western Blots.  
SDS-PAGE Gel  
transfected lysate.  
Western Blot  
Lane 1: transfected lysate ( 77.10 KDa)  
Lane 2: Non-transfected lysate.

**Storage Buffer**

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction**

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot

## Gene Info — ZNF254

**Entrez GeneID**[9534](#)**GeneBank Accession#**[NM\\_203282.1](#)**Protein Accession#**[AAH43147.2](#)**Gene Name**

ZNF254

**Gene Alias**

BMZF-5, FLJ58216, HD-ZNF1, ZNF539, ZNF91L

**Gene Description**

zinc finger protein 254

**Omim ID**[604768](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

Zinc finger proteins have been shown to interact with nucleic acids and to have diverse functions. The zinc finger domain is a conserved amino acid sequence motif containing 2 specifically positioned cysteines and 2 histidines that are involved in coordinating zinc. Kruppel-related proteins form a family of zinc finger proteins. See ZFP93 (MIM 604749) for additional information on zinc finger proteins.[supplied by OMIM]

**Other Designations**

hematopoietic-derived zinc finger protein|zinc finger protein 539