


MaxPab®

EDIL3 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00010085-B01P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of EDIL3 expression in transfected 293T cell line ([H00010085-T01](#)) by EDIL3 MaxPab polyclonal antibody.

Lane 1: EDIL3 transfected lysate(52.8 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human EDIL3 protein.
Immunogen	EDIL3 (NP_005702.3, 1 a.a. ~ 480 a.a) full-length human protein.
Sequence	MKRSVAVWLLVGLSLGVPQFGKGDICDPNPCENGGICLPGLADGSFSCECPDGFTDPNCSSVV EVASDEEEPTSAGPCTPNPCHNGGTCEISEAYRGDTFIGYVCKCPRGFNGIHCQHINECEVEPC KNGGICTDLVANYSCCEPGEFMGRNCQYKCSGPLGIEGGIISNQITASSTHRALFGLQKWYPYA RLNKKGLINAWTAAENDRWPWQINLQRKMRVTGVITQGAKRIGSPEYKSYKIAYSNDGKTWAMYK VKGTNEDMVFRGNIDNNTPYANSFTPIKAQYVRLYPQVCRRHCTLRMELLGCELSGCSEPLGMK SGHIQDYQITASSIFRTLNDMDFTWEPRKARLDKQGKVNAWTSGHNDQSQWLQVDLLVPTKVTGII TQGAKDFGHVQFVGSYKLAYSNDGEHWTYQDEKQRKDKVFQGNFDNDTHRKNVIDPPIYARHIR ILPWSWYGRITLRSELLGCTEEE
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (95); Rat (96)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of EDIL3 expression in transfected 293T cell line ([H00010085-T01](#)) by EDIL3 MaxPab polyclonal antibody.

Lane 1: EDIL3 transfected lysate(52.8 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — EDIL3

Entrez GeneID[10085](#)**GeneBank Accession#**[NM_005711.3](#)**Protein Accession#**[NP_005702.3](#)**Gene Name**

EDIL3

Gene Alias

DEL1, MGC26287

Gene Description

EGF-like repeats and discoidin I-like domains 3

Omim ID[606018](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene is an integrin ligand. It plays an important role in mediating angiogenesis and may be important in vessel wall remodeling and development. It also influences endothelial cell behavior. [provided by RefSeq]

Other Designations

EGF-like repeats and discoidin I-like domains-containing protein 3|developmental endothelial locus-1

Publication Reference

- [Proteomic and functional analysis of human sperm detergent resistant membranes.](#)

Ebert B, Kisiela M, Wsol V, Maser E.

Journal of Cellular Physiology 2011 Oct; 226(10):2651.

Application: IF, WB, Human, Human Sperm

Disease

- [Cardiovascular Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Obesity](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Tobacco Use Disorder](#)