


MaxPab®

TRIM28 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00010155-B01P


Size 50 ug

Applications



Western Blot (Cell lysate)

TRIM28 MaxPab polyclonal antibody. Western Blot analysis of TRIM28 expression in C32.




Western Blot (Transfected lysate)

Western Blot analysis of TRIM28 expression in transfected 293T cell line ([H00010155-T02](#)) by TRIM28 MaxPab polyclonal antibody.

Lane 1: TRIM28 transfected lysate(91.85 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence

Immunofluorescence of purified MaxPab antibody to TRIM28 on HeLa cell. [antibody concentration 10 ug/ml]

Specification

Product Description

Mouse polyclonal antibody raised against a full-length human TRIM28 protein.

Immunogen	TRIM28 (NP_005753.1, 1 a.a. ~ 835 a.a) full-length human protein.
Sequence	MAASAAAASAAAASAAAGSPGPGEGSAGGEKRSTAPSAAAASASASAAASSPAGGGAEALELL EHCGVCRERLRPEREPRLLPCLHSACSACLGPAAPAAANSSGDGGAAGDGTVVDCPVCKQQC FSKDIVENYFMRDSGSKAATDAQDANQCCTSCEDNAPATSYCVECSEPLCETCVEAHQVRKYT KDHTVRSTGPAKSRDGERTVYCNVHKHEPLVLFCESCDTLTCRDCQLNAHKDHQYQFLEDAVR NQRKLLASLVKRLGDKHATLQKSTKEVRSSIRQVSDVQKRVQVDVKMAILQIMKELNKRGRVLVN DAQKVTGQQERLERQHWMTMTKIQKHQEHILRFASWALESDNNTALLSKKLIYFQLHRALKMMD PVEPHGEMKFQWDLNAWTKSAEAFGKVAERP GTNSTGPAPMAPPRAPGPLSKQSGSSQPM EVQEGYGFSGDDPYSSAEPHVSGVKRSRSGEGEVSGLMRKVPRVSLERLDLDTADSQPPVF KVFPGSTTEDYNLMIERGAAAAATGQPGTAPAGTPGAPPLAGMAIVKEEETEAAGAPPTATEGP ETKPVLMALAEPGAEGPRLASPSGSTSSGLEVVAPEGTSAPGGGPGTLDDSATICRVQCKPG DLVMCNQCEFCFHLDCPLALQDVPGEWWSLCHVLPDLKEEDGSLSLDGADSTGVVAKLS PANQRKCERVLLALFCHEPCRPLHQLATDSTFSLDQPGGTLDLTLIRARLQEKLSPPYSSPQEFA QDVGRMFKQFNKLTEDKADVQSIIGLQRRFFETRMNEAFGDTKFSAVLVEPPPMSLPGAGLSSQE LSGGPGDGP
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (93); Rat (93)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

TRIM28 MaxPab polyclonal antibody. Western Blot analysis of TRIM28 expression in C32.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of TRIM28 expression in transfected 293T cell line ([H00010155-T02](#)) by TRIM28 MaxPab polyclonal antibody.

Lane 1: TRIM28 transfected lysate(91.85 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of purified MaxPab antibody to TRIM28 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — TRIM28

Entrez GeneID [10155](#)**GeneBank Accession#** [NM_005762.2](#)**Protein Accession#** [NP_005753.1](#)**Gene Name** TRIM28**Gene Alias** FLJ29029, KAP1, RNF96, TF1B, TIF1B**Gene Description** tripartite motif-containing 28**Omim ID** [601742](#)**Gene Ontology** [Hyperlink](#)

Gene Summary The protein encoded by this gene mediates transcriptional control by interaction with the Kruppel-associated box repression domain found in many transcription factors. The protein localizes to the nucleus and is thought to associate with specific chromatin regions. The protein is a member of the tripartite motif family. This tripartite motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. [provided by RefSeq]

Other Designations KRAB-associated protein 1|nuclear corepressor KAP-1|transcriptional intermediary factor 1-beta|tripartite motif-containing 28 protein