TRIM22 rabbit monoclonal antibody

Catalog # H00010346-K

Specification

Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human TRIM22 peptide using ARM Technology.
Immunogen	A synthetic peptide of human TRIM22 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
lsotype	lgG
Quality Control Testing	Antibody reactive against human TRIM22 peptide by ELISA and mammalian transfected lysate by W estern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

• Western Blot (Transfected lysate)

Protocol Download



• ELISA

Gene Info — TRIM22	
Entrez GenelD	<u>10346</u>
GeneBank Accession#	<u>TRIM22</u>
Gene Name	TRIM22
Gene Alias	GPSTAF50, RNF94, STAF50
Gene Description	tripartite motif-containing 22
Omim ID	<u>606559</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein localizes to the cytoplasm and its expression is induced by interferon. The pro tein down-regulates transcription from the HIV-1 LTR promoter region, suggesting that function of t his protein may be to mediate interferon's antiviral effects. [provided by RefSeq
Other Designations	OTTHUMP00000069823 stimulated trans-acting factor (50 kDa) tripartite binding motif 22 tripartit e motif protein TRIM22