


MaxPab®

HMG20A purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00010363-B01P

Size 50 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of HMG20A expression in transfected 293T cell line ([H00010363-T01](#)) by HMG20A MaxPab polyclonal antibody.


Lane 1: HMG20A transfected lysate(38.17 KDa).

Lane 2: Non-transfected lysate.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of purified MaxPab antibody to HMG20A on formalin-fixed paraffin-embedded human placenta. [antibody concentration 3 ug/ml]



Immunofluorescence

Immunofluorescence of purified MaxPab antibody to HMG20A on HepG2 cell. [antibody concentration 10 ug/ml]

Specification

Product Description

Mouse polyclonal antibody raised against a full-length human HMG20A protein.

Immunogen	HMG20A (NP_060670.1, 1 a.a. ~ 347 a.a) full-length human protein.
Sequence	MENLMTSSTLPPLFADEDGSKESNDLATTGLNHPEVPYSSGATSSSTNNPEFVEDLSQGQLLQSE SSNAAEGNEQRHEDEQRSKRGWSKGRKRKKPLRDSNAPKSPLTGYVRFMNERREQLRAKRP EVPFPEITRMLGNEWSKLPPEEKQRYLDEADRDKERYMKELEQYQKTEAYKVFSRKTQDRQKGK SHRQDAARQATHDHEKETEVKERSVFDIPIFTEEFNLHNSKAREAE LRQLRKS NM EF EERNAALQK HVESMRTAVEKLEVDVIQERSRNTVLQQHLET LRQVLTSSFAS MPLPGSGETPTVD TIDSYMNRL HSILANPQDNENFIATVREVVNRLDR
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (95); Rat (95)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of HMG20A expression in transfected 293T cell line ([H00010363-T01](#)) by HMG20A MaxPab polyclonal antibody.

Lane 1: HMG20A transfected lysate(38.17 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of purified MaxPab antibody to HMG20A on formalin-fixed paraffin-embedded human placenta. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of purified MaxPab antibody to HMG20A on HepG2 cell. [antibody concentration 10 ug/ml]

Gene Info — HMG20A

Entrez GeneID

[10363](#)

GeneBank Accession#	NM_018200.2
Protein Accession#	NP_060670.1
Gene Name	HMG20A
Gene Alias	FLJ10739, HMGX1, HMGXB1
Gene Description	high-mobility group 20A
Omim ID	605534
Gene Ontology	Hyperlink
Other Designations	HMG box domain containing 1