


Full-Length

CXCL13 (Human) Recombinant Protein (P02)

Catalog # H00010563-P02

Size 25 ug, 10 ug

Applications



Specification

Product Description	Human CXCL13 full-length ORF (AAH12589, 23 a.a. - 109 a.a.) recombinant protein with GST tag at N-terminal.
Sequence	VLEVYYTSLRCRCVQESSVFIPRRFIDRIQLPRGNGCPRKEIIVWKKNKSV CVD PQAEW IQR MME VLRKRSSSTLPVPVFKRKIP
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	35.31
Interspecies Antigen Sequence	Mouse (47); Rat (43)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — CXCL13

Entrez GeneID [10563](#)

GeneBank Accession# [BC012589](#)

Protein Accession# [AAH12589](#)

Gene Name CXCL13

Gene Alias ANGIE, ANGIE2, BCA-1, BCA1, BLC, BLR1L, SCYB13

Gene Description chemokine (C-X-C motif) ligand 13

Omim ID [605149](#)

Gene Ontology [Hyperlink](#)

Gene Summary B lymphocyte chemoattractant, independently cloned and named Angie, is a CXC chemokine strongly expressed in the follicles of the spleen, lymph nodes, and Peyer's patches. It preferentially promotes the migration of B lymphocytes (compared to T cells and macrophages), apparently by stimulating calcium influx into, and chemotaxis of, cells expressing Burkitt's lymphoma receptor 1 (BLR-1). It may therefore function in the homing of B lymphocytes to follicles. [provided by RefSeq]

Other Designations B-cell chemoattractant|B-cell-attracting chemokine 1|B-cell-homing chemokine (ligand for Burkitt's lymphoma receptor-1)|B-lymphocyte chemoattractant|chemokine (C-X-C motif) ligand 13 (B-cell chemoattractant)|small inducible cytokine B subfamily (Cys-X-Cys

Pathway

- [Chemokine signaling pathway](#)
- [Cytokine-cytokine receptor interaction](#)

Disease

- [Asthma](#)
- [Bronchiolitis](#)
- [Genetic Predisposition to Disease](#)
- [HIV Infections](#)
- [Infant](#)
- [Respiratory Syncytial Virus Infections](#)