


SC65 (Human) IP-WB Antibody Pair

Catalog # H00010609-PW2 Size 1 Set

Applications



Immunoprecipitation of SC65 transfected lysate using rabbit polyclonal anti-SC65 and Protein A Magnetic Bead (<u>U0007</u>), and immunoblotted with mouse purified polyclonal anti-SC65.

Specification	
Product Description	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.
Reactivity	Human
Interspecies Antigen Sequence	Mouse (91)
Quality Control Testing	Immunoprecipitation-Western Blot (IP-WB) Immunoprecipitation of SC65 transfected lysate using rabbit polyclonal anti-SC65 and Protein A Ma gnetic Bead (<u>U0007</u>), and immunoblotted with mouse purified polyclonal anti-SC65.
Supplied Product	Antibody pair set content: 1. Antibody pair for IP: rabbit polyclonal anti-SC65 (300 ul) 2. Antibody pair for WB: mouse purified polyclonal anti-SC65 (50 ug)
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications



• Immunoprecipitation-Western Blot

Protocol Download

Gene Info — SC65	
Entrez GeneID	10609
Gene Name	SC65
Gene Alias	NOL55
Gene Description	synaptonemal complex protein SC65
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This nucleolar protein was first characterized because it was an autoantigen in cases on interstitia I cystitis. The protein, with a predicted molecular weight of 50 kDa, appears to be localized in the particulate compartment of the interphase nucleolus, with a distribution distinct from that of nucleol ar protein B23. During mitosis it is associated with chromosomes. [provided by RefSeq
Other Designations	OTTHUMP00000164758 nucleolar autoantigen No55 nucleolar autoantigen, 55kDa