


SLC17A3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00010786-T01


Size 100 uL

Applications



SDS-PAGE Gel

SLC17A3 transfected lysate.



Western Blot

Lane 1: SLC17A3 transfected lysate (46.31 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-SLC17A3 full-length

Host Human

Theoretical MW (kDa) 46.31

Quality Control Testing Transient overexpression cell lysate was tested with Anti-SLC17A3 antibody ([H00010786-B01](#)) by Western Blots.
SDS-PAGE Gel
SLC17A3 transfected lysate.
Western Blot
Lane 1: SLC17A3 transfected lysate (46.31 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — SLC17A3

Entrez GeneID[10786](#)**GeneBank Accession#**[BC017952.1](#)**Protein Accession#**[AAH17952.1](#)**Gene Name**

SLC17A3

Gene Alias

NPT4

Gene Description

solute carrier family 17 (sodium phosphate), member 3

Omim ID[611034](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

O

Other Designations

OTTHUMP00000016126|OTTHUMP00000039392

Disease

- [Abortion](#)
- [Atherosclerosis](#)
- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)
- [Genetic Predisposition to Disease](#)
- [Gout](#)

- [Hyperuricemia](#)
- [Schizophrenia](#)
- [Tobacco Use Disorder](#)