

PPARGC1A rabbit monoclonal antibody

Catalog # H00010891-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human PPARGC1A peptide using ARM Technology.
Immunogen	A synthetic peptide of human PPARGC1A is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human PPARGC1A peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — PPARGC1A

Entrez GeneID	10891
GeneBank Accession#	PPARGC1A
Gene Name	PPARGC1A
Gene Alias	LEM6, PGC-1(alpha), PGC-1v, PGC1, PGC1A, PPARGC1
Gene Description	peroxisome proliferator-activated receptor gamma, coactivator 1 alpha
Omim ID	604517
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a transcriptional coactivator that regulates the genes involved in energy metabolism. This protein interacts with PPARgamma, which permits the interaction of this protein with multiple transcription factors. This protein can interact with, and regulate the activities of, cAMP response element binding protein (CREB) and nuclear respiratory factors (NRFs). It provides a direct link between external physiological stimuli and the regulation of mitochondrial biogenesis, and is a major factor that regulates muscle fiber type determination. This protein may be also involved in controlling blood pressure, regulating cellular cholesterol homeostasis, and the development of obesity. [provided by RefSeq]
Other Designations	OTTHUMP00000123372 PPAR gamma coactivator variant form PPAR gamma coactivator-1 ligand effect modulator-6 peroxisome proliferative activated receptor, gamma, coactivator 1, alpha

Pathway

- [Adipocytokine signaling pathway](#)
- [Insulin signaling pathway](#)

Disease

- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Anorexia Nervosa](#)

- [Atherosclerosis](#)
- [Bipolar Disorder](#)
- [Birth Weight](#)
- [Body Weight](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bulimia](#)
- [Calcinosis](#)
- [Cardiomyopathy](#)
- [Cardiovascular Diseases](#)
- [Carotid Stenosis](#)
- [Colorectal Neoplasms](#)
- [Coronary Artery Disease](#)
- [Diabetes](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Diabetic Nephropathies](#)
- [Diabetic Retinopathy](#)
- [Disease Progression](#)
- [DNA Damage](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Fatty Liver](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulonephritis](#)

- [Glucose Intolerance](#)
- [Glucose Metabolism Disorders](#)
- [Glycogen Storage Disease Type V](#)
- [Huntington disease](#)
- [Hyperinsulinism](#)
- [Hypertension](#)
- [Hypertriglyceridemia](#)
- [Hypertrophy](#)
- [Inflammation](#)
- [Insulin Resistance](#)
- [Kidney Failure](#)
- [Metabolic Syndrome X](#)
- [Narcolepsy](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Overweight](#)
- [Polycystic Ovary Syndrome](#)
- [Renal Insufficiency](#)
- [Sarcoidosis](#)
- [Schizophrenia](#)
- [Task Performance and Analysis](#)
- [Ventricular Dysfunction](#)
- [Weight Loss](#)
- [Werner syndrome](#)