


LILRA2 (Human) Recombinant Protein (Q01)

Catalog # H00011027-Q01

Size 25 ug, 10 ug

Applications



Specification

Product Description	Human LILRA2 partial ORF (NP_006857, 322 a.a. - 383 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	DRPSLSVQPVPTVAPGKNVTLLCQSRGQFHTFLLTKEGAGHPPLHLRSEHQAAQQNQAEFRMG
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	32.56
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — LILRA2

Entrez GeneID [11027](#)

GeneBank Accession# [NM_006866](#)

Protein Accession# [NP_006857](#)

Gene Name LILRA2

Gene Alias CD85H, ILT1, LIR-7, LIR7

Gene Description leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 2

Omim ID [604812](#)

Gene Ontology [Hyperlink](#)

Gene Summary Leukocyte Ig-like receptors (LIRs) are a family of immunoreceptors expressed predominantly on monocytes and B cells and at lower levels on dendritic cells and natural killer (NK) cells. All LIRs in subfamily B have an inhibitory function (see, e.g., LILRB1, MIM 604811). LIRs in subfamily A, with short cytoplasmic domains lacking an immunoreceptor tyrosine-based inhibitory motif (ITIM) and with transmembrane regions containing a charged arginine residue, may initiate stimulatory cascades. One member of subfamily A (LILRA3; MIM 604818) lacks a transmembrane region and is presumed to be a soluble receptor.[supplied by OMIM]

Other Designations leukocyte immunoglobulin-like receptor 7|leukocyte immunoglobulin-like receptor subfamily A member 2 soluble

Disease

- [Genetic Predisposition to Disease](#)
- [Hepatitis C](#)

- [Lupus Erythematosus](#)
- [Vasculitis](#)