


## RASA3 monoclonal antibody (M01A), clone 1F11

Catalog # H00022821-M01A Size 200 uL

## **Applications**




## Western Blot (Transfected lysate)

Western Blot analysis of RASA3 expression in transfected 293T cell line by RASA3 monoclonal antibody (M01A), clone 1F11.

Lane 1: RASA3 transfected lysate (Predicted MW: 95.7 KDa).

Lane 2: Non-transfected lysate.



Western Blot detection against Immunogen (37.73 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant RASA3.
Immunogen	RASA3 (AAH47242, 725 a.a. $\sim$ 834 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	DGDRETERIYSLFNLYMSKLEKMQEACGSKSVYDGPEQEEYSTFVIDDPQETYKTLKQVIAGVGAL EQEHAQYKRDKFKKTKYGSQEHPIGDKSFQNYIRQQSETSTHSI
Host	Mouse
Reactivity	Human



### **Product Information**

Interspecies Antigen Sequence	Mouse (94); Rat (94)
Isotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.73 KDa).
Storage Buffer	In ascites fluid
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# Applications

Western Blot (Transfected lysate)

Western Blot analysis of RASA3 expression in transfected 293T cell line by RASA3 monoclonal antibody (M01A), clone 1F11.

Lane 1: RASA3 transfected lysate (Predicted MW: 95.7 KDa).

Lane 2: Non-transfected lysate.

**Protocol Download** 

Western Blot (Recombinant protein)

**Protocol Download** 

ELISA

Gene Info — RASA3	
Entrez GeneID	<u>22821</u>
GeneBank Accession#	BC047242
Protein Accession#	<u>AAH47242</u>
Gene Name	RASA3
Gene Alias	GAP1IP4BP, GAPIII, MGC46517, MGC47588
Gene Description	RAS p21 protein activator 3
Omim ID	605182
Gene Ontology	<u>Hyperlink</u>



### **Product Information**

#### **Gene Summary**

The protein encoded by this gene is member of the GAP1 family of GTPase-activating proteins. The gene product stimulates the GTPase activity of normal RAS p21 but not its oncogenic counterpart. Acting as a suppressor of RAS function, the protein enhances the weak intrinsic GTPase activity of RAS proteins resulting in the inactive GDP-bound form of RAS, thereby allowing control of cellular proliferation and differentiation. This family member is an inositol 1,3,4,5-tetrakisphosphate binding protein, like the closely related RAS p21 protein activator 2. The two family members have distinct pleckstrin-homology domains, with this particular member having a domain consistent with its localization to the plasma membrane. [provided by RefSeq

#### **Other Designations**