


MaxPab®

ZHX2 MaxPab rabbit polyclonal antibody (D01)

Catalog # H00022882-D01


Size 100 uL

Applications



Western Blot (Cell lysate)

ZHX2 MaxPab rabbit polyclonal antibody. Western Blot analysis of ZHX2 expression in Hela S3 NE.




Western Blot (Transfected lysate)

Western Blot analysis of ZHX2 expression in transfected 293T cell line ([H00022882-T02](#)) by ZHX2 MaxPab polyclonal antibody.

Lane 1: ZHX2 transfected lysate(92.3 KDa).

Lane 2: Non-transfected lysate.



Immunoprecipitation

Immunoprecipitation of ZHX2 transfected lysate using anti-ZHX2 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ZHX2 purified MaxPab mouse polyclonal antibody (B01P) ([H00022882-B01P](#)).

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human ZHX2 protein.

Immunogen	ZHX2 (NP_055758.1, 1 a.a. ~ 837 a.a) full-length human protein.
Sequence	MASKRKSTTPCMVRTSQVVEQDVPEEVDRAKEKGIGTPQPDVAKDSWAAELENSSKENEVIEV KSMGESQSKKLQGGYECKYCPYSTQNLNEFTEHVDMQHNPVILNPLYVCAECNFTTKKYDSLSD HNSKFHPGEANFKLKLKRNNQTVLEQSIETTNHVVSITSGPGTGDSDSGISVSKTPIMKPGKPKA DAKKVPKKPEEITPENHVEGTARLVTDTAELSRLLGGVELLQDTLGHVMPVSVQLPPNINLVKVPV PLNTTKYNSALDTNATMINSFNKFPYPTQAELSWLTAASKHPEEHIRWFATQRLKHGISWSPEEVE EARKKMFNGTIQSVPTITVLPAQLAPTKVTQPILQTALPCQILGQTSLVLTQVTSGSTTVSCSPITLA VAGVTNHGQKRPLVTPQAAPEPKRPHIAQVPEPPPKVANPPLTPASDRKKTKEQIAHLKASFLQS QFPDDAEVYRLIEVTGLARSEIKKWFSDHRYRCQRGVHITSESLAKDQLAIAASRHGRTHAYPDF APQKFKEKTQGGVKILEDLSFLKSSFPTQAELDRLRVETKLSRREIDSWFSERRKLKRDSEMEQAVLD SMGSGKKGQDVGAPNGALSRLDQLSGAQLTSSLPSPSPAIAKSQEQVHLLRSTFARTQWPTPQ EYDQLAAKTGLVRTEIVRWFKENRCLLTGTVKWMEQYQHQPMAADDHGYDAVARKATKPMAES PKNGGDVVPQYYKDPKKLCEEDLEKLVTRVKVGSEPAKDCLPAKPSEATSDRSEGSSRDGQG SDENEESVVDYVEVTVGEEAIDSRSDSWSQAAAEGVSELAESDSDCVPAEAGQA
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (87); Rat (86)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

ZHX2 MaxPab rabbit polyclonal antibody. Western Blot analysis of ZHX2 expression in Hela S3 NE.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of ZHX2 expression in transfected 293T cell line ([H00022882-T02](#)) by ZHX2 MaxPab polyclonal antibody.

Lane 1: ZHX2 transfected lysate(92.3 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunoprecipitation

Immunoprecipitation of ZHX2 transfected lysate using anti-ZHX2 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ZHX2 purified MaxPab mouse polyclonal antibody (B01P) ([H00022882-B01P](#)).

[Protocol Download](#)

Gene Info — ZHX2

Entrez GeneID [22882](#)

GeneBank Accession# [NM_014943.3](#)

Protein Accession# [NP_055758.1](#)

Gene Name ZHX2

Gene Alias AFR1, KIAA0854, RAF

Gene Description zinc fingers and homeoboxes 2

Omim ID [609185](#)

Gene Ontology [Hyperlink](#)

Gene Summary The members of the zinc fingers and homeoboxes gene family are nuclear homodimeric transcriptional repressors that interact with the A subunit of nuclear factor-Y (NF-YA) and contain two C2H2-type zinc fingers and five homeobox DNA-binding domains. This gene encodes member 2 of this gene family. In addition to forming homodimers, this protein heterodimerizes with member 1 of the zinc fingers and homeoboxes family. [provided by RefSeq]

Other Designations transcription factor ZHX2|zinc-fingers and homeoboxes 2

Disease

- [Celiac Disease](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Failure](#)
- [Neoplasm Invasiveness](#)
- [Prostatic Neoplasms](#)
- [Tobacco Use Disorder](#)