


TCF25 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00022980-T01


Size 100 uL

Applications



SDS-PAGE Gel

TCF25 transfected lysate.



Western Blot

Lane 1: TCF25 transfected lysate (76.7 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-TCF25 full-length
Host	Human
Theoretical MW (kDa)	76.7
Interspecies Antigen Sequence	Mouse (90); Rat (89)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-TCF25 antibody ([H00022980-B01](#)) by Western Blots.
SDS-PAGE Gel
TCF25 transfected lysate.
Western Blot
Lane 1: TCF25 transfected lysate (76.7 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — TCF25

Entrez GeneID

[22980](#)

GeneBank Accession#

[NM_014972](#)

Protein Accession#

[NP_055787](#)

Gene Name

TCF25

Gene Alias

FKSG26, Hulp1, KIAA1049, NULP1, PRO2620, hKIAA1049

Gene Description

transcription factor 25 (basic helix-loop-helix)

Gene Ontology

[Hyperlink](#)

Gene Summary

TCF25 is a member of the basic helix-loop-helix (bHLH) family of transcription factors that are important in embryonic development (Steen and Lindholm, 2008 [PubMed 18068114]).[supplied by OMIM]

Other Designations

NULP1

Disease

- [Cerebral Hemorrhage](#)
- [Genetic Predisposition to Disease](#)

- [Hypertension](#)
- [Intracranial Hemorrhages](#)
- [Stroke](#)
- [Subarachnoid Hemorrhage](#)