


DIP2C 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00022982-T01


Size 100 uL

Applications



SDS-PAGE Gel

DIP2C transfected lysate.



Western Blot

Lane 1: DIP2C transfected lysate (171.27 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-DIP2C full-length
Host	Human
Theoretical MW (kDa)	171.27
Interspecies Antigen Sequence	Mouse (99); Rat (95)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-DIP2C antibody ([H00022982-B01](#)) by Western Blots.
 SDS-PAGE Gel
 DIP2C transfected lysate.
 Western Blot
 Lane 1: DIP2C transfected lysate (171.27 KDa)
 Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — DIP2C

Entrez GeneID

[22982](#)

GeneBank Accession#

[NM_014974.1](#)

Protein Accession#

[NP_055789.1](#)

Gene Name

DIP2C

Gene Alias

FLJ34444, FLJ44075, KIAA0934

Gene Description

DIP2 disco-interacting protein 2 homolog C (Drosophila)

Omim ID

[611380](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes a member of the disco-interacting protein homolog 2 family. The protein shares strong similarity with a Drosophila protein which interacts with the transcription factor disco and is expressed in the nervous system. [provided by RefSeq]

Other Designations

DIP2 disco-interacting protein 2 homolog C|OTTHUMP00000018940|OTTHUMP00000044556

Disease

- [Cardiovascular Diseases](#)

- [Cerebral Hemorrhage](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Intracranial Hemorrhages](#)
- [Stroke](#)
- [Subarachnoid Hemorrhage](#)
- [Tobacco Use Disorder](#)