

## GGA2 rabbit monoclonal antibody

Catalog # H00023062-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human GGA2 peptide using ARM Technology.
Immunogen	A synthetic peptide of human GGA2 is used for rabbit immunization.  Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen ( <u>ARM Technology</u> ).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human GGA2 peptide by ELISA and mammalian transfected lysate by We stern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	<ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol>

## **Applications**

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — GGA2	
Entrez GenelD	23062
GeneBank Accession#	GGA2
Gene Name	GGA2
Gene Alias	FLJ20966, KIAA1080, VEAR
Gene Description	golgi associated, gamma adaptin ear containing, ARF binding protein 2
Omim ID	606005
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes a member of the Golgi-localized, gamma adaptin ear-containing, ARF-bindin g (GGA) family. This family includes ubiquitous coat proteins that regulate the trafficking of protein s between the trans-Golgi network and the lysosome. These proteins share an amino-terminal VH S domain which mediates sorting of the mannose 6-phosphate receptors at the trans-Golgi network. They also contain a carboxy-terminal region with homology to the ear domain of gamma-adaptins. This family member may play a significant role in cargo molecules regulation and clathrin-coat ed vesicle assembly. [provided by RefSeq
Other Designations	ADP-ribosylation factor binding protein 2 VHS domain and ear domain-containing protein

## Pathway

• Lysosome