


MaxPab®

UBXD8 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00023197-B01P


Size 50 ug

Applications




Western Blot (Tissue lysate)

UBXD8 MaxPab polyclonal antibody. Western Blot analysis of UBXD8 expression in rat brain.



Western Blot (Cell lysate)

FAF2 MaxPab polyclonal antibody. Western Blot analysis of FAF2 expression in Jurkat.



Western Blot (Transfected lysate)

Western Blot analysis of FAF2 expression in transfected 293T cell line ([H00023197-T01](#)) by FAF2 MaxPab polyclonal antibody.

Lane 1: UBXD8 transfected lysate(48.95 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Mouse polyclonal antibody raised against a full-length human UBXD8 protein.

Immunogen	UBXD8 (NP_055428.1, 1 a.a. ~ 445 a.a) full-length human protein.
Sequence	MAAPEERDLTQEQTTEKLLQFQDLTGIESMDQCRHTLEQHNWNIEAAVQDRLNEQEGVPSVFNPP PSRPLQVNTADHRIYSYVVS RPQPRG LLGWGYLIMLPFRFTYYTILDIRFALRFIRPDPRSRVTDP VGDIVSFMHSFEEKYGRAHPVFYQGTYSQALND AKRELRFLLVYLHGDDHQDSDEF CRNTLCAP EVISLINTRMLFWACSTNKPEGYRV SQALRENTYPFLAMIMLKDRRMTVVGRLEGLIQPDDLINQLT FIMDANQTYLVSERLEREERNQTQVLRQQQDEAYLASLRADQEKERKKREERERKRRKEEEVQQ QKLAEERRRQNLQEEKERKLECLPPEPSPDDPESVKIIFKLPNDSRVERRFHFSQSLTVIHDFLFS LKESPEKFQIEANFPRRVLP CIPSEEWP NPPTLQEAGLSHTEVLFVQDLTDE
Host	Mouse
Reactivity	Human, Rat
Interspecies Antigen Sequence	Mouse (97); Rat (98)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

UBXD8 MaxPab polyclonal antibody. Western Blot analysis of UBXD8 expression in rat brain.

[Protocol Download](#)

- Western Blot (Cell lysate)

FAF2 MaxPab polyclonal antibody. Western Blot analysis of FAF2 expression in Jurkat.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of FAF2 expression in transfected 293T cell line ([H00023197-T01](#)) by FAF2 MaxPab polyclonal antibody.

Lane 1: UBXD8 transfected lysate(48.95 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — FAF2

Entrez GeneID	23197
GeneBank Accession#	NM_014613.1
Protein Accession#	NP_055428.1
Gene Name	FAF2
Gene Alias	ETEA, KIAA0887, UBXD8, UBXN3B
Gene Description	Fas associated factor family member 2
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is highly expressed in peripheral blood of patients with atopic dermatitis (AD), compared to normal individuals. It may play a role in regulating the resistance to a poptosis that is observed in T cells and eosinophils of AD patients. [provided by RefSeq
Other Designations	UBX domain containing 8 UBX domain protein 3B expressed in T-cells and eosinophils in atopic dermatitis

Publication Reference

- [Proteomic Analysis of Lipid Droplets from Caco-2/TC7 Enterocytes Identifies Novel Modulators of Lipid Secretion.](#)

Beilstein F, Bouchoux J, Rousset M, Demignot S.

PLoS One 2013 Jan; 8(1):e53017.

Application: WB, Human, Caco-2