


MCF2L 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00023263-T01


Size 100 uL

Applications



SDS-PAGE Gel

MCF2L transfected lysate.



Western Blot

Lane 1: MCF2L transfected lysate (111.9 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-MCF2L full-length
Host	Human
Theoretical MW (kDa)	111.9
Interspecies Antigen Sequence	Mouse (90); Rat (89)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-MCF2L antibody ([H00023263-B01](#)) by Western Blots.
SDS-PAGE Gel
MCF2L transfected lysate.
Western Blot
Lane 1: MCF2L transfected lysate (111.9 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — MCF2L

Entrez GeneID[23263](#)**GeneBank Accession#**[NM_024979](#)**Protein Accession#**[NP_079255](#)**Gene Name**

MCF2L

Gene Alias

ARHGEF14, DBS, FLJ12122, KIAA0362, OST

Gene Description

MCF.2 cell line derived transforming sequence-like

Omim ID[609499](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

DBL's big sister|MCF2 transforming sequence-like protein|OTTHUMP00000018742|guanine nucleotide exchange factor DBS

Disease

- [Angina Pectoris](#)
- [Cardiovascular Diseases](#)

- [Coronary Vasospasm](#)
- [Genetic Predisposition to Disease](#)
- [Tobacco Use Disorder](#)