


# HEY1 monoclonal antibody (M09), clone 1F11


Catalog # H00023462-M09 Size 100 ug

### **Applications**




#### Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged HEY1 is approximately 0.1ng/ml as a capture antibody.



#### Immunofluorescence

Immunofluorescence of monoclonal antibody to HEY1 on HeLa cell . [antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (36.74 KDa).

## **Specification**

**Product Description** 

Mouse monoclonal antibody raised against a partial recombinant HEY1.



#### **Product Information**

Immunogen	HEY1 (NP_036390, 121 a.a. $\sim$ 220 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	DYRSLGFRECLAEVARYLSIEGLDASDPLRVRLVSHLNNYASQREAASGAHAGLGHIPWGTVFGH HPHIAHPLLLPQNGHGNAGTTASPTEPHHQGRLG
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (94); Rat (87)
Isotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.  Western Blot detection against Immunogen (36.74 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# **Applications**

Western Blot (Recombinant protein)

**Protocol Download** 

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged HEY1 is approximately 0.1ng/ml as a capture antibody.

**Protocol Download** 

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to HEY1 on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — HEY1	
Entrez GenelD	23462
GeneBank Accession#	NM_012258



## **Product Information**

Protein Accession#	NP_036390
Gene Name	HEY1
Gene Alias	BHLHb31, CHF2, HERP2, HESR1, HRT-1, MGC1274, OAF1
Gene Description	hairy/enhancer-of-split related with YRPW motif 1
Omim ID	602953
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes a nuclear protein belonging to the hairy and enhancer of split-related (HESR) f amily of basic helix-loop-helix (bHLH)-type transcriptional repressors. Expression of this gene is i nduced by the Notch and c-Jun signal transduction pathways. Two similar and redundant genes in mouse are required for embryonic cardiovascular development, and are also implicated in neurog enesis and somitogenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq
Other Designations	HES-related repressor protein 2 basic helix-loop-helix protein OAF1 cardiovascular helix-loop-helix factor 2 hairy-related transcription factor 1