

MaxPab®

CDC42EP4 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00023580-D01P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of CDC42EP4 expression in transfected 293T cell line (H00023580-T02) by CDC42EP4 MaxPab polyclonal antibody.

Lane 1: CDC42EP4 transfected lysate(38.00 KDa). Lane 2: Non-transfected lysate.

Specification	
Product Description	Rabbit polyclonal antibody raised against a full-length human CDC42EP4 protein.
Immunogen	CDC42EP4 (NP_036253.2, 1 a.a. ~ 356 a.a) full-length human protein.
Sequence	MPILKQLVSSSVHSKRRSRADLTAEMISAPLGDFRHTMHVGRAGDAFGDTSFLNSKAGEPDGES LDEQPSSSSSKRSLLSRKFRGSKRSQSVTRGEREQRDMLGSLRDSALFVKNAMSLPQLNEKEA AEKGTSKLPKSLSSSPVKKANDGEGGDEEAGTEEAVPRRNGAAGPHSPDPLLDEQAFGDLTDL PVVPKATYGLKHAESIMSFHIDLGPSMLGDVLSIMDKEEWDPEEGEGGYHGDEGAAGTITQAPPY AVAAPPLARQEGKAGPDLPSLPSHALEDEGWAAAAPSPGSARSMGSHTTRDSSSLSSCTSGIL EERSPAFRGPDRARAAVSRQPDKEFSFMDEEEEDEIRV
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (78); Rat (77)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4

Copyright © 2023 Abnova Corporation. All Rights Reserved.



Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Transfected lysate)

Western Blot analysis of CDC42EP4 expression in transfected 293T cell line (<u>H00023580-T02</u>) by CDC42EP4 MaxPab polyclonal antibody.

Lane 1: CDC42EP4 transfected lysate(38.00 KDa). Lane 2: Non-transfected lysate.

Protocol Download

Gene Info — CDC42EP4

Entrez GenelD	23580
GeneBank Accession#	<u>NM_012121.4</u>
Protein Accession#	<u>NP_036253.2</u>
Gene Name	CDC42EP4
Gene Alias	BORG4, CEP4, KAIA1777, MGC17125, MGC3740
Gene Description	CDC42 effector protein (Rho GTPase binding) 4
Omim ID	<u>605468</u>
Gene Ontology	Hyperlink
Gene Summary	The product of this gene is a member of the CDC42-binding protein family. Members of this famil y interact with Rho family GTPases and regulate the organization of the actin cytoskeleton. This pr otein has been shown to bind both CDC42 and TC10 GTPases in a GTP-dependent manner. Wh en overexpressed in fibroblasts, this protein was able to induce pseudopodia formation, which su ggested a role in inducing actin filament assembly and cell shape control. [provided by RefSeq
Other Designations	Cdc42 effector protein 4 binder of Rho GTPases 4