SPAG8 rabbit monoclonal antibody

Catalog # H00026206-K

Size 100 ug x up to 3

Specification **Product Description** Rabbit monoclonal antibody raised against a human SPAG8 peptide using ARM Technology. Immunogen A synthetic peptide of human SPAG8 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence. Host Rabbit Library Construction Non-fusion antibody library from rabbit spleen (ARM Technology). Expression Overexpression vector and transfection into 293H cell line. Reactivity Human **Purification** Protein A lsotype lgG **Quality Control Testing** Antibody reactive against human SPAG8 peptide by ELISA and mammalian transfected lysate by W estern Blot. **Storage Buffer** In 1x PBS, pH 7.4 **Storage Instruction** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download

• ELISA

Gene Info — SPAG8

hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infertive ty, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogned by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ Is of the testis at all stages of spermatogenesis and is localized to the acrosomal region of mate		
Gene NameSPAG8Gene AliasBS-84, HSD-1, MGC26201, SMP1, SPAG3, hSMP-1Gene Descriptionsperm associated antigen 8Omim ID605731Gene OntologyHyperlinkGene SummaryThe correlation of anti-sperm antibodies with cases of unexplained infertility implicates a role for hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infer ty, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogn ed by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ Is of the testis at all stages of spermatogenesis and is localized to the acrosomal region of matt spermatozoa. Alternatively spliced variants that encode different protein isoforms have been de ribed but the full-length sequences of only two have been determined. [provided by RefSeq	Entrez GenelD	26206
Gene Alias BS-84, HSD-1, MGC26201, SMP1, SPAG3, hSMP-1 Gene Description sperm associated antigen 8 Omim ID 605731 Gene Ontology Hyperlink Gene Summary The correlation of anti-sperm antibodies with cases of unexplained infertility implicates a role fo hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infertily, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogned by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ of is of the testis at all stages of spermatogenesis and is localized to the acrosomal region of matt spermatozoa. Alternatively spliced variants that encode different protein isoforms have been de ribed but the full-length sequences of only two have been determined. [provided by RefSeq	GeneBank Accession#	SPAG8
Gene Description sperm associated antigen 8 Omim ID 605731 Gene Ontology Hyperlink Gene Summary The correlation of anti-sperm antibodies with cases of unexplained infertility implicates a role for hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infert ty, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogned by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ of spermatozoa. Alternatively spliced variants that encode different protein isoforms have been de ribed but the full-length sequences of only two have been determined. [provided by RefSeq	Gene Name	SPAG8
Omim ID 605731 Gene Ontology Hyperlink Gene Summary The correlation of anti-sperm antibodies with cases of unexplained infertility implicates a role for hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infertity, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogned by sperm agglutinating antibodies from an infertile woman. This protein is localized in germolis of the testis at all stages of spermatogenesis and is localized to the acrosomal region of mattices at all stages of only two have been determined. [provided by RefSeq]	Gene Alias	BS-84, HSD-1, MGC26201, SMP1, SPAG3, hSMP-1
Gene Ontology Hyperlink Gene Summary The correlation of anti-sperm antibodies with cases of unexplained infertility implicates a role for hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infertility, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogned by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ of ls of the testis at all stages of spermatogenesis and is localized to the acrosomal region of matter spermatozoa. Alternatively spliced variants that encode different protein isoforms have been deribed but the full-length sequences of only two have been determined. [provided by RefSeq	Gene Description	sperm associated antigen 8
Gene Summary The correlation of anti-sperm antibodies with cases of unexplained infertility implicates a role for hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infer ty, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogn ed by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ Is of the testis at all stages of spermatogenesis and is localized to the acrosomal region of matu spermatozoa. Alternatively spliced variants that encode different protein isoforms have been det ribed but the full-length sequences of only two have been determined. [provided by RefSeq]	Omim ID	<u>605731</u>
hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infer ty, as well as identification of proteins for targeted contraception, are dependent on the identific on and characterization of relevant sperm antigens. The protein encoded by this gene is recogn ed by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ Is of the testis at all stages of spermatogenesis and is localized to the acrosomal region of matu spermatozoa. Alternatively spliced variants that encode different protein isoforms have been de ribed but the full-length sequences of only two have been determined. [provided by RefSeq	Gene Ontology	Hyperlink
Other Designations OTTHUMP0000021352 sperm membrane protein 1	Gene Summary	The correlation of anti-sperm antibodies with cases of unexplained infertility implicates a role for t hese antibodies in blocking fertilization. Improved diagnosis and treatment of immunologic infertili ty, as well as identification of proteins for targeted contraception, are dependent on the identificati on and characterization of relevant sperm antigens. The protein encoded by this gene is recogniz ed by sperm agglutinating antibodies from an infertile woman. This protein is localized in germ cel ls of the testis at all stages of spermatogenesis and is localized to the acrosomal region of mature spermatozoa. Alternatively spliced variants that encode different protein isoforms have been desc ribed but the full-length sequences of only two have been determined. [provided by RefSeq
	Other Designations	OTTHUMP00000021352 sperm membrane protein 1