


MaxPab®

EHF purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00026298-D01P


Size 100 ug

Applications



Western Blot (Tissue lysate)

EHF MaxPab rabbit polyclonal antibody. Western Blot analysis of EHF expression in human liver.



Western Blot (Transfected lysate)

Western Blot analysis of EHF expression in transfected 293T cell line ([H00026298-T02](#)) by EHF MaxPab polyclonal antibody.

Lane 1: EHF transfected lysate(34.90 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human EHF protein.

Immunogen

EHF (NP_036285.2, 1 a.a. ~ 300 a.a) full-length human protein.

Sequence

MLEGGGVMLNPGNLLHQPPAWTDSYSTCNVSSGFFGGQWHEIHPQYWTKYQVWEWLQHLL
DTNQLDANCIPFQEFDINGEHLCSMSLQEFTRAAGTAGQLLYSNLQHLKWNGQCSSLDFQSTHN
VVKTEQTEPSIMNTWKDENLYDTNYGSTVDLLDSKTFCRAQISM TTTSHLPVAESPDMKKEQDP
PAKCHTKKHNPGRGTHLWEFIRDILLNPDKNPGLIKWEDRSEGVRFLKSEAVAQLWGKKKNSS
MTYEKLSRAMRYYYKREILERV DGRRLVYKFGKNARGWRENEN

Host

Rabbit

Reactivity	Human
Interspecies Antigen Sequence	Mouse (93); Rat (94)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

EHF MaxPab rabbit polyclonal antibody. Western Blot analysis of EHF expression in human liver.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of EHF expression in transfected 293T cell line ([H00026298-T02](#)) by EHF MaxPab polyclonal antibody.

Lane 1: EHF transfected lysate(34.90 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — EHF

Entrez GeneID	26298
GeneBank Accession#	NM_012153.3
Protein Accession#	NP_036285.2
Gene Name	EHF
Gene Alias	ESE3, ESEJ
Gene Description	ets homologous factor
Omim ID	605439
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a protein that belongs to an ETS transcription factor subfamily characterized by epithelial-specific expression (ESEs). The encoded protein acts as a transcriptional repressor and may be associated with asthma susceptibility. This protein may be involved in epithelial differentiation and carcinogenesis. [provided by RefSeq]

Other Designations

ESE3 transcription factor|epithelium-specific ets factor 3

Disease

- [Asthma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Genetic Predisposition to Disease](#)