


EIF2C2 (Human) Recombinant Protein (Q01)

Catalog # H00027161-Q01

Size 25 ug, 10 ug

Applications



Specification

Product Description	Human EIF2C2 partial ORF (NP_036286.2, 381 a.a. - 480 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	KLMRSASFNTDPYVREFGIMVKDEMTDVTGRVLQPPSILYGGRNKAATPVQGVWDMRNKQFHT GIEIKVWAIACFAPQRQCTEVHLKSFTEQLRKISRD
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	36.74
Interspecies Antigen Sequence	Mouse (100); Rat (99)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — EIF2C2

Entrez GeneID [27161](#)

GeneBank Accession# [NM_012154](#)

Protein Accession# [NP_036286.2](#)

Gene Name EIF2C2

Gene Alias AGO2, MGC3183, Q10

Gene Description eukaryotic translation initiation factor 2C, 2

Omim ID [606229](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes a member of the Argonaute family of proteins which play a role in RNA interference. The encoded protein is highly basic, and contains a PAZ domain and a PIWI domain. It may interact with dicer1 and play a role in short-interfering-RNA-mediated gene silencing. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations argonaute 2

Disease

- [Adenocarcinoma](#)
- [Carcinoma](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)

- [Kidney Neoplasms](#)
- [Lung Neoplasms](#)
- [Mouth Neoplasms](#)
- [Precancerous Conditions](#)