VPS4A rabbit monoclonal antibody

Catalog # H00027183-K

Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human VPS4A peptide using ARM Technology.
Immunogen	A synthetic peptide of human VPS4A is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
lsotype	lgG
Quality Control Testing	Antibody reactive against human VPS4A peptide by ELISA and mammalian transfected lysate by W estern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

• Western Blot (Transfected lysate)

Protocol Download



• ELISA

Gene Info — VPS4A

Entrez GenelD	27183
GeneBank Accession#	VPS4A
Gene Name	VPS4A
Gene Alias	FLJ22197, SKD1, SKD2, VPS4, VPS4-1
Gene Description	vacuolar protein sorting 4 homolog A (S. cerevisiae)
Omim ID	<u>609982</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the AAA protein family (ATPases associated wi th diverse cellular activities), and is the homolog of the yeast Vps4 protein. In humans, two paralog s of the yeast protein have been identified. The former share a high degree of aa sequence simila rity with each other, and also with yeast Vps4 and mouse Skd1 proteins. The mouse Skd1 (suppr essor of K+ transport defect 1) has been shown to be really an yeast Vps4 ortholog. Functional st udies indicate that both human paralogs associate with the endosomal compartments, and are in volved in intracellular protein trafficking, similar to Vps4 protein in yeast. The gene encoding this p aralog has been mapped to chromosome 16; the gene for the other resides on chromosome 18. [provided by RefSeq
Other Designations	SKD1-homolog vacuolar protein sorting factor 4A vacuolar sorting protein 4

Pathway

• Endocytosis