


MaxPab®

IL17C purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00027189-D01P

Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of IL17C expression in transfected 293T cell line ([H00027189-T01](#)) by IL17C MaxPab polyclonal antibody.

Lane 1: IL17C transfected lysate(21.80 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence

Immunofluorescence of purified MaxPab antibody to IL17C on HeLa cell. [antibody concentration 30 ug/ml]

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human IL17C protein.
Immunogen	IL17C (NP_037410.1, 1 a.a. ~ 197 a.a) full-length human protein.
Sequence	MTLLPGLLFLTWLHTCLAHHDPSLRGHPHSHGTPHCYSAEELPLGQAPPHLLARGAKWGQALPV ALVSSLEAASHRGRHERPSATTQCPVLRPEEVLEADTHQRSISPWRYRVDTEEDRYPQKLAF CLCRGCIDARTGRETAALNSVRLQLSLLVLRPPCSRDGSLPTPGAFHTEFIHVPVGCTCVL PRSV
Host	Rabbit
Reactivity	Human

Interspecies Antigen Sequence	Rat (75)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of IL17C expression in transfected 293T cell line ([H00027189-T01](#)) by IL17C MaxPab polyclonal antibody.

Lane 1: IL17C transfected lysate(21.80 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of purified MaxPab antibody to IL17C on HeLa cell. [antibody concentration 30 ug/ml]

Gene Info — IL17C

Entrez GeneID	27189
GeneBank Accession#	NM_013278
Protein Accession#	NP_037410.1
Gene Name	IL17C
Gene Alias	CX2, IL-17C, IL-21, MGC126884, MGC138401
Gene Description	interleukin 17C
Omim ID	604628
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a T cell-derived cytokine that shares the sequence similarity with IL17. This cytokine was reported to stimulate the release of tumor necrosis factor alpha and interleukin 1 beta from a monocytic cell line. The expression of this cytokine was found to be restricted to activated T cells. [provided by RefSeq]
Other Designations	cytokine CX2

Disease

- [Birth Weight](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [HIV Infections](#)
- [Leukemia](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)