


SNX12 monoclonal antibody (M01), clone 2C10

Catalog # H00029934-M01


Size 100 ug

Applications




Western Blot (Cell lysate)

SNX12 monoclonal antibody (M01), clone 2C10 Western Blot analysis of SNX12 expression in HL-60 (Cat # L014V1).



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged SNX12 is approximately 1ng/ml as a capture antibody.



Western Blot detection against Immunogen (37.4 KDa) .

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant SNX12.

| | |
|-------------------------|--|
| Immunogen | SNX12 (AAH20559, 53 a.a. ~ 159 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. |
| Sequence | RMRTNLPIFKLKESCVRRRYSDFEWLKNELERDSKIVVPPLPGKALKRQLPFRGDEGIFEESFIEE RRQGLEQFINKIAGHPLAQNERCLHMFLQEEAIDRNYVPGK |
| Host | Mouse |
| Reactivity | Human |
| Isotype | IgG2a Kappa |
| Quality Control Testing | Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.4 KDa) . |
| Storage Buffer | In 1x PBS, pH 7.4 |
| Storage Instruction | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. |

Applications

- Western Blot (Cell lysate)

SNX12 monoclonal antibody (M01), clone 2C10 Western Blot analysis of SNX12 expression in HL-60 (Cat # L014V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged SNX12 is approximately 1ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

Gene Info — SNX12

| | |
|---------------------|--------------------------|
| Entrez GeneID | 29934 |
| GeneBank Accession# | BC020559 |
| Protein Accession# | AAH20559 |

| | |
|--------------------|--|
| Gene Name | SNX12 |
| Gene Alias | MGC118982, MGC118983 |
| Gene Description | sorting nexin 12 |
| Gene Ontology | Hyperlink |
| Gene Summary | <p>This gene encodes a member of the sorting nexin family. Members of this family contain a phox (PX) domain, which is a phosphoinositide binding domain, and are involved in intracellular trafficking. This protein does not contain a coiled coil region, like some family members. This gene encodes a protein of unknown function. [provided by RefSeq]</p> |
| Other Designations | OTTHUMP00000023487 |