


# CD209 (Human) Matched Antibody Pair

Catalog # H00030835-AP21

Size 1 Set

## Applications



Sandwich ELISA detection sensitivity ranging from 1 ng/ml to 100 ng/ml.

## Specification

|                                      |                                                                                                                                                                                                                                                                                      |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Description</b>           | This antibody pair set comes with a matched antibody pair to detect and quantify the protein level of human CD209.                                                                                                                                                                   |
| <b>Reactivity</b>                    | Human                                                                                                                                                                                                                                                                                |
| <b>Interspecies Antigen Sequence</b> | Mouse (66); Rat (62)                                                                                                                                                                                                                                                                 |
| <b>Quality Control Testing</b>       | Standard curve using recombinant protein ( H00030835-P01 ) as an analyte.<br>Sandwich ELISA detection sensitivity ranging from 1 ng/ml to 100 ng/ml.                                                                                                                                 |
| <b>Supplied Product</b>              | Antibody pair set content:<br>1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-CD209 (100 ug)<br>2. Detection antibody: mouse purified polyclonal anti-CD209 (20 ug)<br>*Reagents are sufficient for at least 1-2 x 96 well plates using recommended protocols. |
| <b>Storage Instruction</b>           | Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.                                                                                                   |

## Applications

- ELISA Pair (Recombinant protein)

[Protocol Download](#)

## Gene Info — CD209

**Entrez GeneID** [30835](#)

**Gene Name** CD209

**Gene Alias** CDSIGN, CLEC4L, DC-SIGN, DC-SIGN1, MGC129965

**Gene Description** CD209 molecule

**Omim ID** [604672](#) [607948](#) [609423](#)

**Gene Ontology** [Hyperlink](#)

### Gene Summary

This gene encodes a transmembrane receptor and is often referred to as DC-SIGN because of its expression on the surface of dendritic cells and macrophages. The encoded protein is involved in the innate immune system and recognizes numerous evolutionarily divergent pathogens ranging from parasites to viruses with a large impact on public health. The protein is organized into three distinct domains: an N-terminal transmembrane domain, a tandem-repeat neck domain and C-type lectin carbohydrate recognition domain. The extracellular region consisting of the C-type lectin and neck domains has a dual function as a pathogen recognition receptor and a cell adhesion receptor by binding carbohydrate ligands on the surface of microbes and endogenous cells. The neck region is important for homo-oligomerization which allows the receptor to bind multivalent ligands with high avidity. Variations in the number of 23 amino acid repeats in the neck domain of this protein are rare but have a significant impact on ligand binding ability. This gene is closely related in terms of both sequence and function to a neighboring gene (GeneID 10332; often referred to as L-SIGN). DC-SIGN and L-SIGN differ in their ligand-binding properties and distribution. Alternative splicing results in multiple variants

**Other Designations** C-type lectin domain family 4, member L|CD209 antigen|Dendritic cell-specific intracellular adhesion molecules (ICAM)-3 grabbing non-integrin

## Disease

- [Acquired Immunodeficiency Syndrome](#)
- [Arthritis](#)
- [Asthma](#)
- [Birth Weight](#)

- [Bronchiolitis](#)
- [Celiac Disease](#)
- [Colitis](#)
- [Crohn Disease](#)
- [Cytomegalovirus Infections](#)
- [Dengue](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [Hemophilia A](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [HTLV-I Infections](#)
- [Hypersensitivity](#)
- [Infant](#)
- [Leukemia](#)
- [Liver Cirrhosis](#)
- [Liver Diseases](#)
- [Lymphadenitis](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Mycobacterium Infections](#)
- [Nasopharyngeal Neoplasms](#)
- [Periodontitis](#)

- [Respiratory Syncytial Virus Infections](#)
- [Severe Acute Respiratory Syndrome](#)
- [Sexually Transmitted Diseases](#)
- [Tuberculosis](#)