


DHH monoclonal antibody (M02), clone 2D5

Catalog # H00050846-M02 Size 100 ug

Applications



Western Blot (Tissue lysate)

DHH monoclonal antibody (M02), clone 2D5. Western Blot analysis of DHH expression in human liver.

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant DHH.
Immunogen	DHH (NP_066382, 210 a.a. ~ 310 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	SGERKGLRELHRGDWVLAADASGRVVPTPVLLFLDRDLQRRASFVAVETEWPPRKLLLTPWHL VFAARGPAPAPGDFAPVFARRLRAGDSVLAPGGDALRP*
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (96); Rat (96)
lsotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Applications

• Western Blot (Tissue lysate)

DHH monoclonal antibody (M02), clone 2D5. Western Blot analysis of DHH expression in human liver. <u>Protocol Download</u>

• ELISA

Gene Info — DHH

Entrez GenelD	<u>50846</u>
GeneBank Accession#	<u>NM_021044</u>
Protein Accession#	<u>NP_066382</u>
Gene Name	DHH
Gene Alias	HHG-3, MGC35145
Gene Description	desert hedgehog homolog (Drosophila)
Omim ID	<u>605423</u> <u>607080</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the Hedgehog family. The hedgehog gene family encodes signal ing molecules that play an important role in regulating morphogenesis. This protein is predicted to be made as a precursor that is autocatalytically cleaved; the N-terminal portion is soluble and cont ains the signalling activity while the C-terminal portion is involved in precursor processing. More i mportantly, the C-terminal product covalently attaches a cholesterol moiety to the N-terminal produ ct, restricting the N-terminal product to the cell surface and preventing it from freely diffusing throu ghout the organism. Defects in this protein have been associated with partial gonadal dysgenesis (PGD) accompanied by minifascicular polyneuropathy. This protein may be involved in both male gonadal differentiation and perineurial development. [provided by RefSeq
Other Designations	desert hedgehog

Pathway

• Hedgehog signaling pathway