

# ANGPTL4 rabbit monoclonal antibody

Catalog # H00051129-K

Size 100 ug x up to 3

## Specification

<b>Product Description</b>	Rabbit monoclonal antibody raised against a human ANGPTL4 peptide using ARM Technology.
<b>Immunogen</b>	A synthetic peptide of human ANGPTL4 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
<b>Host</b>	Rabbit
<b>Library Construction</b>	Non-fusion antibody library from rabbit spleen ( <a href="#">ARM Technology</a> ).
<b>Expression</b>	Overexpression vector and transfection into 293H cell line.
<b>Reactivity</b>	Human
<b>Purification</b>	Protein A
<b>Isotype</b>	IgG
<b>Quality Control Testing</b>	Antibody reactive against human ANGPTL4 peptide by ELISA and mammalian transfected lysate by Western Blot.
<b>Storage Buffer</b>	In 1x PBS, pH 7.4
<b>Storage Instruction</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
<b>Deliverable</b>	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
<b>Note</b>	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) <sub>2</sub> , IgG, scFv and different Fc and non-Fc conjugates per customer request.

## Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

## Gene Info — ANGPTL4

Entrez GeneID	<a href="#">51129</a>
GeneBank Accession#	<a href="#">ANGPTL4</a>
Gene Name	ANGPTL4
Gene Alias	ANGPTL2, ARP4, FIAF, HFARP, NL2, PGAR, pp1158
Gene Description	angiopoietin-like 4
Omim ID	<a href="#">605910</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	<p>This gene is a member of the angiopoietin/angiopoietin-like gene family and encodes a glycosylated, secreted protein with a fibrinogen C-terminal domain. This gene is induced under hypoxic conditions in endothelial cells and is the target of peroxisome proliferation activators. The encoded protein is a serum hormone directly involved in regulating glucose homeostasis, lipid metabolism, and insulin sensitivity and also acts as an apoptosis survival factor for vascular endothelial cells. The encoded protein may play a role in several cancers and it also has been shown to prevent the metastatic process by inhibiting vascular activity as well as tumor cell motility and invasiveness. Decreased expression of this protein has been associated with type 2 diabetes. Alternatively spliced transcript variants encoding different isoforms have been described. This gene was previously referred to as ANGPTL2 but has been renamed ANGPTL4. [provided by RefSeq]</p>
Other Designations	PPARG angiopoietin related protein angiopoietin-like 4 protein angiopoietin-related protein 4 fasting-induced adipose factor hepatic angiopoietin-related protein hepatic fibrinogen/angiopoietin-related protein peroxisome proliferator-activated receptor (P

## Pathway

- [PPAR signaling pathway](#)

## Disease

- [Amyotrophic lateral sclerosis](#)
- [Anoxia](#)
- [Atherosclerosis](#)

- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Diabetes Mellitus](#)
- [Dyslipidemias](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Failure](#)
- [Syndrome](#)
- [Weight Gain](#)