


CRLF3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00051379-T02


Size 100 uL

Applications



SDS-PAGE Gel

CRLF3 transfected lysate.



Western Blot

Lane 1: CRLF3 transfected lysate (49.80 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-CRLF3 full-length
Host	Human
Theoretical MW (kDa)	49.8
Interspecies Antigen Sequence	Mouse (93); Rat (92)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-CRLF3 antibody ([H00051379-B01P](#)) by Western Blots.
SDS-PAGE Gel
CRLF3 transfected lysate.
Western Blot
Lane 1: CRLF3 transfected lysate (49.80 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — CRLF3

Entrez GeneID[51379](#)**GeneBank Accession#**[BC023567](#)**Protein Accession#**[AAH23567.2](#)**Gene Name**

CRLF3

Gene Alias

CREME9, CYTOR4, FRWS, MGC20661

Gene Description

cytokine receptor-like factor 3

Gene Ontology[Hyperlink](#)**Other Designations**

cytokine receptor related protein 4|cytokine receptor-like molecule 9|type I cytokine receptor like factor

Disease

- [Craniofacial Abnormalities](#)
- [Diabetes Mellitus](#)
- [Genetic Predisposition to Disease](#)

- [Growth Disorders](#)
- [Learning Disorders](#)
- [Ovarian Neoplasms](#)
- [Syndrome](#)