


MaxPab®

ATP6V1H MaxPab rabbit polyclonal antibody (D01)

Catalog # H00051606-D01

Size 100 uL

Applications




Western Blot (Transfected lysate)

Western Blot analysis of ATP6V1H expression in transfected 293T cell line ([H00051606-T02](#)) by ATP6V1H MaxPab polyclonal antibody.

Lane 1: ATP6V1H transfected lysate(55.90 KDa).

Lane 2: Non-transfected lysate.



Immunoprecipitation

Immunoprecipitation of ATP6V1H transfected lysate using anti-ATP6V1H MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ATP6V1H purified MaxPab mouse polyclonal antibody (B01P) ([H00051606-B01P](#)).

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human ATP6V1H protein.

Immunogen

ATP6V1H (NP_057025.2, 1 a.a. ~ 483 a.a) full-length human protein.

Sequence

MTKMDIRGAVDAAVPTNIIAAKAAAEVRANKVNWQSYLQGQMISAEDCEFIQRFEMKRSPEEKQEM
LQTEGSQCAKTFINLMTHICKEQTVQYILTMVDDMLQENHQRVSIFFDYARCSKNTAWPYFLPMLN
RQDPFTVHMAARIAKLAAWGKELMEGSDLNYYFNWIKTQLSSQKLRGSGVAVETGTVSSSDSSQ
YVQCVAAGCLQLMLRVNEYRFAWVEADGVNCIMGVLSNKCGLQYQMIFSMWLLAFSPQMCEHL
RRYNIIPVLSDLQESVKEKVTRIILAAFRNFLEKSTERETRQEYALAMIQCKVLKQLENLEQQKYDD
EDISEDIFLLEKLGESVQDLSSFDEYSSELKSGRLEWSPVHKSEKFWRENAVRLNEKNYELLKIL
TKLLEVSDDPQVLAAAHADVGEYVRHYPRGKRIVIEQLGGKQLVMNHMHEDQQVRYNALLAVQK
LMVHNWEYLKGKQLQSEQPQTAAARS

Host	Rabbit
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of ATP6V1H expression in transfected 293T cell line ([H00051606-T02](#)) by ATP6V1H MaxPab polyclonal antibody.

Lane 1: ATP6V1H transfected lysate(55.90 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunoprecipitation

Immunoprecipitation of ATP6V1H transfected lysate using anti-ATP6V1H MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ATP6V1H purified MaxPab mouse polyclonal antibody (B01P) ([H00051606-B01P](#)).

[Protocol Download](#)

Gene Info — ATP6V1H

Entrez GeneID	51606
GeneBank Accession#	NM_015941
Protein Accession#	NP_057025.2
Gene Name	ATP6V1H
Gene Alias	CGI-11, MSTP042, NBP1, SFD, SFDalpha, SFDbeta, VMA13
Gene Description	ATPase, H ⁺ transporting, lysosomal 50/57kDa, V1 subunit H
Omim ID	608861
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that mediates acidification of eukaryotic intracellular organelles. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A and three B subunits, two G subunits plus the C, D, E, F, and H subunits. The V1 domain contains the ATP catalytic site. The V0 domain consists of five different subunits: a, c, c', c'', and d. Additional isoforms of many of the V1 and V0 subunit proteins are encoded by multiple genes or alternatively spliced transcript variants. This gene encodes the regulatory H subunit of the V1 domain which is required for catalysis of ATP but not the assembly of V-ATPase. Three alternatively spliced transcript variants encode two isoforms of the H subunit. [provided by RefSeq]

Other Designations

ATPase, H⁺ transporting, lysosomal 50/57kD, V1 subunit H|V-ATPase H subunit|vacuolar ATP synthase subunit H|vacuolar ATPase subunit H|vacuolar proton pump H subunit

Pathway

- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [Lysosome](#)
- [Metabolic pathways](#)
- [Oxidative phosphorylation](#)
- [Vibrio cholerae infection](#)