

Full-Length


MRPS23 (Human) Recombinant Protein (P01)

Catalog # H00051649-P01 Size 25 ug, 10 ug

Applications



Specification	
Product Description	Human MRPS23 full-length ORF (AAH00242, 1 a.a 190 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	MAGSRLETVGSIFSRTRDLVRAGVLKEKPLWFDVYDAFPPLRGPVFQRPRVRYGKAKAPIQDIWY HEDRIRAKFYSVYGSGQRAFDLFNPNFKSTCQRFVEKYTELQKLGETDEEKLFVETGKALLAEGVI LRRVGEARTQHGGSHVSRKSEHLSVRPQTALEENETQKEVPQDQHLEAPADQSKGLLPP
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	46.64
Interspecies Antigen Sequence	Mouse (69); Rat (68)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.





Note

Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — MRPS23	
Entrez GenelD	<u>51649</u>
GeneBank Accession#	BC000242
Protein Accession#	AAH00242
Gene Name	MRPS23
Gene Alias	CGI-138, HSPC329, MRP-S23
Gene Description	mitochondrial ribosomal protein S23
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein s ynthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28 S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition co mpared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mam malian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among diff erent species, the proteins comprising the mitoribosome differ greatly in sequence, and sometim es in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein. A pseudogene corresponding to this gene is found on chromoso me 7p. [provided by RefSeq
	The 7p. [provided by Neroed

Disease



Tobacco Use Disorder