

ACSL5 rabbit monoclonal antibody

Catalog # H00051703-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human ACSL5 peptide using ARM Technology.
Immunogen	A synthetic peptide of human ACSL5 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human ACSL5 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — ACSL5

Entrez GeneID [51703](#)

GeneBank Accession# [ACSL5](#)

Gene Name ACSL5

Gene Alias ACS2, ACS5, FAFL5

Gene Description acyl-CoA synthetase long-chain family member 5

Omim ID [605677](#)

Gene Ontology [Hyperlink](#)

Gene Summary The protein encoded by this gene is an isozyme of the long-chain fatty-acid-coenzyme A ligase family. Although differing in substrate specificity, subcellular localization, and tissue distribution, all isozymes of this family convert free long-chain fatty acids into fatty acyl-CoA esters, and thereby play a key role in lipid biosynthesis and fatty acid degradation. This isozyme is highly expressed in uterus and spleen, and in trace amounts in normal brain, but has markedly increased levels in malignant gliomas. This gene functions in mediating fatty acid-induced glioma cell growth. Three transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq]

Other Designations FAFL5 for fatty acid coenzyme A ligase 5|OTTHUMP00000020489|OTTHUMP00000020490|fatty acid coenzyme A ligase 5|fatty-acid-Coenzyme A ligase, long-chain 5|long-chain acyl-CoA synthetase 5|long-chain fatty acid coenzyme A ligase 5

Pathway

- [Adipocytokine signaling pathway](#)
- [Fatty acid metabolism](#)
- [Metabolic pathways](#)
- [PPAR signaling pathway](#)

Disease

- [Alzheimer Disease](#)

- [Genetic Predisposition to Disease](#)
- [Obesity](#)
- [Tobacco Use Disorder](#)