


# NLGN3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00054413-T02 Size 100 uL

## Applications



### SDS-PAGE Gel

NLGN3 transfected lysate.

#### Western Blot

Lane 1: NLGN3 transfected lysate (91.80 KDa) Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-NLGN3 full-length
Host	Human
Theoretical MW (kDa)	91.8
Interspecies Antigen Sequence	Mouse (98); Rat (96)



### **Product Information**

Quality Control Testing	Transient overexpression cell lysate was tested with Anti-NLGN3 antibody (H00054413-D01P) by W		
	estern Blots. SDS-PAGE Gel		
			NLGN3 transfected lysate.
	Western Blot		
	Lane 1: NLGN3 transfected lysate (91.80 KDa)		
	Lane 2: Non-transfected lysate.		
Storage Buffer	1X Sample Buffer (50 mM Tris-HCI, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)		
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.		

## Applications

• Western Blot

## Gene Info — NLGN3

Entrez GenelD	<u>54413</u>
GeneBank Accession#	<u>BC051715.1</u>
Protein Accession#	AAH51715.1
Gene Name	NLGN3
Gene Alias	ASPGX1, AUTSX1, HNL3, KIAA1480
Gene Description	neuroligin 3
Omim ID	<u>300336 300425 300494</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of a family of neuronal cell surface proteins. Members of this family may act as splice site-specific ligands for beta-neurexins and may be involved in the formation an d remodeling of central nervous system synapses. Mutations in this gene may be associated with autism and Asperger syndrome. Multiple transcript variants encoding distinct isoforms have been identified for this gene, but their full length sequences have not been determined. [provided by Ref Seq
Other Designations	OTTHUMP0000023498



## Pathway

• Cell adhesion molecules (CAMs)

### Disease

- Asperger Syndrome
- Attention Deficit Disorder with Hyperactivity
- <u>Autistic Disorder</u>
- <u>NARP</u>