


DNAJC10 monoclonal antibody (M02), clone 3A8

Catalog # H00054431-M02


Size 50 ug

Applications




Western Blot (Tissue lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in human kidney.




Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in HeLa (Cat # L013V1).




Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in Raw 264.7 (Cat # L024V1).




Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in PC-12 (Cat # L012V1).



Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in NIH/3T3 (Cat # L018V1).



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged DNAJC10 is 3 ng/ml as a capture antibody.

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant DNAJC10.
Immunogen	DNAJC10 (NP_061854, 688 a.a. ~ 793 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	KNHWVIDFYAPWCGPCQNFAPFELLARMIKGKVKAGKVDCQAYAQTCQKAGIRAYPTVKFYFYE RAKRNFQEEQINTRDAKAI AALISEKLETLRNQGKRNKDEL
Host	Mouse
Reactivity	Human, Mouse, Rat
Interspecies Antigen Sequence	Mouse (90); Rat (90)
Isotype	IgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in human kidney.

[Protocol Download](#)

- Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in HeLa (Cat # L013V1).

[Protocol Download](#)

- Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in Raw 264.7 (Cat # L024V1).

[Protocol Download](#)

- Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in PC-12 (Cat # L012V1).

[Protocol Download](#)

- Western Blot (Cell lysate)

DNAJC10 monoclonal antibody (M02), clone 3A8. Western Blot analysis of DNAJC10 expression in NIH/3T3 (Cat # L018V1).

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged DNAJC10 is 3 ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

Gene Info — DNAJC10

Entrez GeneID [54431](#)

GeneBank Accession# [NM_018981](#)

Protein Accession# [NP_061854](#)

Gene Name	DNAJC10
Gene Alias	DKFZp434J1813, ERdj5, JPDI, MGC104194
Gene Description	DnaJ (Hsp40) homolog, subfamily C, member 10
Omim ID	607987
Gene Ontology	Hyperlink
Gene Summary	subfamily C
Other Designations	ER-resident protein ERdj5 J-domain-containing protein disulfide isomerase-like protein macrothioredoxin