


DDX56 monoclonal antibody (M03), clone 6B9

Catalog # H00054606-M03 Size 100 ug

Applications




Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in NIH/3T3(Cat # L018V1).




Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in HeLa (Cat # L013V1).



Western Blot (Cell lysate)


DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in HepG2 (Cat # L019V1).



Western Blot (Cell lysate)


DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in Raw 264.7(Cat # L024V1).






Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in PC-12 (Cat # L012V1).



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged DDX56 is 0.1 ng/ml as a capture antibody.



Western Blot detection against Immunogen (36.52 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant DDX56.
lmmunogen	DDX56 (NP_061955, 450 a.a. ~ 547 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	IKEELLHSEKLKTYFEDNPRDLQLLRHDLPLHPAVVKPHLGHVPDYLVPPALRGLVRPHKKRKKLS SSCRKAKRAKSQNPLRSFKHKGKKFRPTAKPS
Host	Mouse
Reactivity	Human, Mouse, Rat
Interspecies Antigen Sequence	Mouse (90); Rat (90)
Isotype	lgG1 Kappa



Product Information

Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.52 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in NIH/3T3(Cat # L018V1).

Protocol Download

Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in HeLa (Cat # L013V1).

Protocol Download

Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in HepG2 (Cat # L019V1).

Protocol Download

Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in Raw 264.7(Cat # L024V1).

Protocol Download

Western Blot (Cell lysate)

DDX56 monoclonal antibody (M03), clone 6B9. Western Blot analysis of DDX56 expression in PC-12 (Cat # L012V1).

Protocol Download

Western Blot (Recombinant protein)

Protocol Download

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged DDX56 is 0.1 ng/ml as a capture antibody.

Protocol Download

ELISA



Gene Info — DDX56	
Entrez GenelD	<u>54606</u>
GeneBank Accession#	NM_019082
Protein Accession#	<u>NP_061955</u>
Gene Name	DDX56
Gene Alias	DDX21, DDX26, NOH61
Gene Description	DEAD (Asp-Glu-Ala-Asp) box polypeptide 56
Omim ID	608023
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes a member of the DEAD box protein family. DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicate d in a number of cellular processes involving alteration of RNA secondary structure such as transl ation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Ba sed on their distribution patterns, some members of this family are believed to be involved in emb ryogenesis, spermatogenesis, and cellular growth and division. The protein encoded by this gene shows ATPase activity in the presence of polynucleotides and associates with nucleoplasmic 65 S preribosomal particles. This gene may be involved in ribosome synthesis, most likely during as sembly of the large 60S ribosomal subunit. [provided by RefSeq
Other Designations	61-kd nucleolar helicase DEAD-box RNA helicase putative nucleolar RNA helicase

Publication Reference

 Quantitative Proteomics and Dynamic Imaging of the Nucleolus Reveal Distinct Responses to UV and Ionizing Radiation.

Moore HM, Bai B, Boisvert FM, Latonen L, Rantanen V, Simpson JC, Pepperkok R, Lamond AI, Laiho M. Mol Cell Proteomics 2011 Jul; 10:M111.00924.

Application: IF, Human, U2OS cells