


MaxPab®

CC2D1A MaxPab rabbit polyclonal antibody (D01)

Catalog # H00054862-D01


Size 100 uL

Applications



Western Blot (Tissue lysate)

CC2D1A MaxPab rabbit polyclonal antibody. Western Blot analysis of CC2D1A expression in human liver.




Western Blot (Transfected lysate)

Western Blot analysis of CC2D1A expression in transfected 293T cell line ([H00054862-T02](#)) by CC2D1A MaxPab polyclonal antibody.

Lane 1: CC2D1A transfected lysate(104.10 kDa).

Lane 2: Non-transfected lysate.



Immunoprecipitation

Immunoprecipitation of CC2D1A transfected lysate using anti-CC2D1A MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with CC2D1A MaxPab rabbit polyclonal antibody (D01) ([H00054862-D01](#)).

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human CC2D1A protein.

Immunogen	CC2D1A (NP_060191.3, 1 a.a. ~ 951 a.a) full-length human protein.
Sequence	MHKRKGP GPPGRGAAAARQLGLLVDLSPDGLMIPEDGANDEEELEAEFLALVGGQPPALEKLK GKGPLPMEAIEKMASLCMRDPDEDEEEGTDEDDLEADDDLLAELNEVLGEEQKASETPPPVAQ PKPEAPHPGLETTLQERLALYQTAIESARQAGDSAKMRRYDRGLKTLENLLASIRKGNAIDEADIPP PVAIGKGPASTPTYSPAPTQPAPRIASAEPRVTLEGPSATAPASSPGLAKPQMPPGPCSPGPLA QLQSRQRDYKLAALHAKQQGDTTAAARHFRVAKSFDVLEALSRGEPVDLSCLPPPPDQLPPD PPSPPSQPPTPATAPSTTEVP PPPRLLLEALEQRMERYQVAAAQAKSKGDQRKARMHERMVKQY QDAIRAHKAGRAVDVAELPVPPGFPIQGLEATKPTQQSLVGVLETAMKLANQDEGPEDEEDEV PKKQNSPVAPTAQPKAPPSRTPQSGSAPTAKAPPKATSTRAQQQLAFLEGRKKQLLQAALRAK QKNDVEGAKMHLRQAKGLEPMLEASRNGLPVDITKVPAPV NKDDFALVQRPGPGLSQEAARR YGELTKLIRQQHEMCLNHSNQFTQLGNITETTKFEKLAEDCKRSM DILKQAFVRGLPTPTARFEQR TFSVIKIFPDLSSNDMLLFIVKGINLPTPPGLSPGDLDFVFRFDFPYPNVEEAQKDKTSVIKNTDSP EFKEQFKLCINRSHRGFRRAIQTKGIKFEVVHKGGFLFKTDRVLGTAQLKDALEIACEVREILEVLD GRRPTGGRLEV MVRIREPLTAQQLETTTERWLVIDPVPAAVPTQVAGPKGKAPPVPAPARESGN RSARPLHSLSVLA F DQERLERKILALRQARRVPPEVAQQYQDIMQRSQWQRAQLEQGGVGIRR EYAAQLERQLQFYTEAARRLGNDGSRDAAKEALYRRNLVESELQRLRR
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (82); Rat (78)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

CC2D1A MaxPab rabbit polyclonal antibody. Western Blot analysis of CC2D1A expression in human liver.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of CC2D1A expression in transfected 293T cell line ([H00054862-T02](#)) by CC2D1A MaxPab polyclonal antibody.

Lane 1: CC2D1A transfected lysate(104.10 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunoprecipitation

Immunoprecipitation of CC2D1A transfected lysate using anti-CC2D1A MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with CC2D1A MaxPab rabbit polyclonal antibody (D01) ([H00054862-D01](#)).

[Protocol Download](#)

Gene Info — CC2D1A

Entrez GeneID	54862
GeneBank Accession#	NM_017721
Protein Accession#	NP_060191.3
Gene Name	CC2D1A
Gene Alias	FLJ20241, FLJ41160, FREUD-1, Freud-1/Aki1, MRT3
Gene Description	coiled-coil and C2 domain containing 1A
Omim ID	608443 610055
Gene Ontology	Hyperlink
Gene Summary	nonsyndromic
Other Designations	mental retardation, nonsyndromic, autosomal recessive, 3 putative NFkB activating protein

Disease

- [Macular Degeneration](#)