


MaxPab®

OCIAD1 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00054940-B01P


Size 50 ug

Applications



Western Blot (Tissue lysate)

OCIAD1 MaxPab polyclonal antibody. Western Blot analysis of OCIAD1 expression in human pancreas.



Western Blot (Transfected lysate)

Western Blot analysis of OCIAD1 expression in transfected 293T cell line ([H00054940-T01](#)) by OCIAD1 MaxPab polyclonal antibody.

Lane 1: OCIAD1 transfected lysate(27.06 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human OCIAD1 protein.
Immunogen	OCIAD1 (AAH03409, 1 a.a. ~ 245 a.a) full-length human protein.
Sequence	MNGRADFREPNAEVPRPIPHIGPDYIPTEEERRVFAECNDESFWFRSVPLAATSMLITQGLISKGIL SSHPKYGSIPKLILACIMGYFAGKLSYVKTCQEKFKKLENSPLGEALRSGQARRSSPPGHYYQKSK YDSSVSGQSSFVTSPAADNIEMLPHYEPIPFSSSMNESAPTGITDHVQGPDPNLEESPKRKNITYE ELRNKNRESYEVSLTQKTDPSPVRPMHERVPKKEVKVKNKYGDTWDE
Host	Mouse
Reactivity	Human

Interspecies Antigen Sequence	Mouse (85); Rat (85)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

OCIAD1 MaxPab polyclonal antibody. Western Blot analysis of OCIAD1 expression in human pancreas.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of OCIAD1 expression in transfected 293T cell line ([H00054940-T01](#)) by OCIAD1 MaxPab polyclonal antibody.

Lane 1: OCIAD1 transfected lysate(27.06 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — OCIAD1

Entrez GeneID	54940
GeneBank Accession#	BC003409
Protein Accession#	AAH03409
Gene Name	OCIAD1
Gene Alias	Asrij, FLJ20455, MGC111072, OCIA, TPA018
Gene Description	OCIA domain containing 1
Gene Ontology	Hyperlink
Other Designations	OTTHUMP00000128288 ovarian carcinoma immunoreactive antigen

Publication Reference

- [The influence of neural cell adhesion molecule isoform 140 on the metastasis of thyroid carcinoma.](#)

Yang AH, Chau YP, Lee CH, Chen JY, Chen JY, Ke CC, Liu RS.

Clinical & Experimental Metastasis 2013 Mar; 30(3):299.

Application: WB, Mouse , ARO cells

- [Expression of NCAM and OCIAD1 in well-differentiated thyroid carcinoma: correlation with the risk of distant metastasis.](#)

Yang AH, Chen JY, Lee CH, Chen JY.

Journal of Clinical Pathology 2012 Mar; 65(3):206.

Application: IHC-P, WB-Ti, Human, Thyroid, Thyroid carcinoma