


MaxPab®

UACA purified MaxPab mouse polyclonal antibody (B03P)

Catalog # H00055075-B03P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of UACA expression in transfected 293T cell line ([H00055075-T01](#)) by UACA MaxPab polyclonal antibody.

Lane 1: UACA transfected lysate(162.50 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human UACA protein.
Immunogen	UACA (NP_060473.2, 1 a.a. ~ 1416 a.a) full-length human protein.

Sequence

MKSLKSRLRRQDVPGPASSGAAAASAHADWNKYDDRLMKAERGDVEKVTSILAKKGVNPGK
LDVEGRSVFHVVTSGKNLECLNAILHGVDTTSDTAGRNALHLAAKYGHALCLQKLLQYNCPTTEHA
DLQGR TALHDAAMADCPSSIQLLCDHGASVNAKDVDGRTPLVLATQMSRPTICQLLIDRGADVNS
RDKQNRTALMLGCEYGC RDAVEVLIKNGADISLLDALGHDSSYYARIGDNL DILTLLKTASENTNKG
RELWKKGPSLQQRNLTHMQDEVNVKSHQREHQNIQDLEIENEDLKERLRKIQQEQRILLDKVNGL
QLQLNEEVMVADDLESEREKLSLLAAKEKQHEESLRTIEALKNRFKYFESDHLGSGSHFSNRKE
DMLLKQGQMYMADSQCTSPGIPAHMQSRSMRLRPLELSLPSQTSYSENEILKKELEAMRTFCESA
KQDRLKLQNELAHKVAECKALALECERVKEDSDEQIKQLEDALKDVQKRMYESGKVKQM QTH
FLALKEHLTSEAASGNHRLTEELKDQLKDLKVKEYGASAEVGKLRNQIKQNE MVEEFKRDEGKLI
EENKRLQKELSMCEMEREKKGRKVTEMEGQAKELSAKLALSI PAEKFENMKSSLSNEVNEKAK
KLVEMEREHEKSLSEIRQLKRELENVKAKLAQHVKPEEHEQVKSRL EQKSGELGKKITELTLKNQ
TLQKEIEKVYLDNKL LKEQAHNLTIE MKNHYVPLKVS E DMKKS HDAIIDD LNRKLLDVTQKYTEKKL
EMEKL LLENDSLSKDVSRL ETVFVPPEKHEKEI IALKSNIVELKKQLSELKKKCGEDQEKIHALTSE
NTNLKKMMSNQYVPVKTHEEVKMTLNDTLAKTNRELLDVKKKFEDINQEFVKIKDKNEILKRNLN
TQNQIKAEYISLAEHEAKMSSLSQSMRKVQDSNAEILANYRKQGE EIVTLHAEIKAQKKELDTIQECI
KVKYAPIVSFE ECERKFKATEKELKDQLSEQTQKYSVSEEEVKKNKQENDKLKKEIFTLQKDLRD
KTVLIEKSHEMERALS RKTDELNKQLKDL SQKYTEVKNVKEKLVEENAKQTSEILAVQNLLQKQHV
PLEQVEALKKSLNGTIENTLKEELKSMQRCYEKEQQVT KLHLLENQKNSSVPLAEHLQIKEAFEK
EVGIIKASLREKEEESQNKMEEVSKLQSEVQNTKQALKKLETREVV DLSKYKATKSDLETQISSLN
EKLANLNRKYEEVCEEVLHAKKKEISAKDEKELLHFSIEQEI KDQKERC DKSLTTITELQRRIQESA
KQIEAKDNKITELLNDVERLKQALNGLSQLTYTSGNPTKRQS QLIDTLQH QVKSLEQQ LADADRQH
QEVIAYRTHLLSAAQGHMDEDVQEALLQIQMRQGLVC

Host

Mouse

Reactivity

Human

Interspecies Antigen Sequence

Mouse (78); Rat (79)

Quality Control Testing

Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of UACA expression in transfected 293T cell line ([H00055075-T01](#)) by UACA MaxPab polyclonal antibody.

Lane 1: UACA transfected lysate(162.50 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — UACA

Entrez GeneID	55075
GeneBank Accession#	NM_018003
Protein Accession#	NP_060473.2
Gene Name	UACA
Gene Alias	FLJ10128, KIAA1561, MGC141967, MGC141969, NUCLING
Gene Description	uveal autoantigen with coiled-coil domains and ankyrin repeats
Gene Ontology	Hyperlink
Other Designations	nuclear membrane binding protein uveal autoantigen with coiled coil domains and ankyrin repeats

Disease

- [Celiac Disease](#)
- [Genetic Predisposition to Disease](#)