

## SLC38A4 rabbit monoclonal antibody

Catalog # H00055089-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human SLC38A4 peptide using ARM Technology.
Immunogen	A synthetic peptide of human SLC38A4 is used for rabbit immunization.  Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen ( <u>ARM Technology</u> ).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human SLC38A4 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	<ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol>

## **Applications**

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — SLC38A4	
Entrez GeneID	<u>55089</u>
GeneBank Accession#	<u>SLC38A4</u>
Gene Name	SLC38A4
Gene Alias	ATA3, FLJ10191, MGC126876, NAT3, PAAT
Gene Description	solute carrier family 38, member 4
Omim ID	<u>608065</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	SLC38A4 is found predominantly in liver and transports both cationic and neutral amino acids. The transport of cationic amino acids by SLC38A4 is Na(+) and pH independent, while the transport of neutral amino acids is Na(+) and pH dependent (Hatanaka et al., 2001 [PubMed 11342143]).[s upplied by OMIM
Other Designations	N amino acid transporter 3 amino acid transporter system A3